– adapalen	e 0.1%	cream
-------------------	--------	-------

- adapalene/benzoyl peroxide 0.1-2.5% gel

- avita 0.025% gel

- tretinoin 0.01% gel

- tretinoin 0.025% gel

- tretinoin 0.05% cream

- tretinoin 0.1% cream

- adapalene 0.3% gel

- avita 0.025% cream

— EPIDUO 0.3-2.5% GEL

- tretinoin 0.025% cream

- tretinoin 0.04% gel

- tretinoin 0.05% gel

- tretinoin 0.1% gel

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ACTEMRA 162MG/0.9ML AUTO-INJECTOR

- ACTEMRA 162MG/0.9ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) For rheumatoid arthritis: Intolerance to or failure of therapy with 2 of the following: a) Enbrel, b) Humira c) Rinvoq OR d) Xeljanz. B) For polyarticular juvenile idiopathic arthritis: Intolerance to or failure of therapy with 2 of the following: a) Humira b) Enbrel OR c) Xeljanz. C) For Giant Cell Arteritis: trial and failure of corticosteroids required. D) For systemic sclerosis-associated interstitial lung disease: a) Diagnosis is confirmed with documentation provided of both of the following: i) HRCT scan AND ii) pulmonary function tests AND b) Member has trial and failed mycophenolate.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatology specialist or pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ACTIMMUNE 2000000UNIT/0.5ML INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist, immunologist, endocrinologist, infectious disease specialist or genetic specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ADBRY 150MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Atopic Dermatitis (initial requests): Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Atopic Dermatitis (continuation requests): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	For atopic dermatitis: Prescribed by, or in consultation with, an allergist, immunologist, or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For atopic dermatitis (initial requests): Member has moderate to severe atopic dermatitis defined as: 1) One of the following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living.

- alyq 20mg tab - tadalafil 20mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ADEMPAS 0.5MG TAB
- ADEMPAS 1MG TAB
- ADEMPAS 2MG TAB

- ADEMPAS 1.5MG TAB

- ADEMPAS 2.5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Diagnosis confirmed by right heart catheterization. B) For pulmonary arterial hypertension: Intolerance to, or failure of, therapy with both of the following: one ERA (ambrisentan, bosentan or macitentan (Opsumit)) AND one PDE5-inhibitor (sildenafil or tadalafil). C) For persistent/recurrent chronic thromboembolic pulmonary hypertension (CTEPH) (WHO Group 4), no prior therapy required.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- everolimus 10mg tab (New Starts Only)
- everolimus 2mg tab for oral susp (New Starts Only)
- everolimus 5mg tab (New Starts Only)
- everolimus 7.5mg tab (New Starts Only)

- everolimus 2.5mg tab (New Starts Only)
- everolimus 3mg tab for oral susp (New Starts Only)
- everolimus 5mg tab for oral susp (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- AIMOVIG 140MG/ML AUTO-INJECTOR

— AIMOVIG 70MG/ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Both of the following: A) Member has 4 or more migraine days per month for the previous 3 months or longer AND B) Member has tried and failed an 8-week or greater trial of 2 of the 3 following drug classes: a) anticonvulsants, b) vasoactive agents, OR c) antidepressants. For continuation requests: Prescriber attests to improvement in the member's condition with use of Aimovig.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ALECENSA 150MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- nitazoxanide 500mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For diarrhea due to giardiasis: trial of metronidazole or tinidizole is required. For diarrhea due to cryptosporidiosis, trial of metronidazole or tinidizole NOT required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ARALAST 1000MG INJ
- -PROLASTIN 1000MG INJ

- -GLASSIA 1000MG/50ML INJ
- -ZEMAIRA 1000MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	IgA deficiency with known anti-IgA antibody.
Required Medical Info	Diagnosis of congenital alpha1-antitrypsin deficiency is confirmed by both of the following: a) circulating baseline alpha1-antitrysin level is below the standard protective threshold (less than 11 micromol/L OR less than 50 mg per deciliter by nephelometry) AND b) high risk alpha1-antitrypsin deficiency genotype (SS, SZ, ZZ, or null/null)
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ALUNBRIG 180MG TAB (New Starts Only)
- ALUNBRIG 90MG TAB (New Starts Only)

- ALUNBRIG 30MG TAB (New Starts Only)
- ALUNBRIG INITIATION PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- APTIOM 200MG TAB (New Starts Only)
- APTIOM 600MG TAB (New Starts Only)

- APTIOM 400MG TAB (New Starts Only)
- APTIOM 800MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ARANESP 100MCG/0.5ML SYRINGE
- ARANESP 10MCG/0.4ML SYRINGE
- ARANESP 200MCG/0.4ML SYRINGE
- ARANESP 25MCG/0.42ML SYRINGE
- ARANESP 300MCG/0.6ML SYRINGE
- ARANESP 40MCG/ML INJ
- ARANESP 60MCG/0.3ML SYRINGE

- ARANESP 100MCG/ML INJ
- ARANESP 150MCG/0.3ML SYRINGE
- ARANESP 200MCG/ML INJ
- ARANESP 25MCG/ML INJ
- ARANESP 40MCG/0.4ML SYRINGE
- ARANESP 500MCG/ML SYRINGE
- ARANESP 60MCG/ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of Retacrit or Epogen was ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ARCALYST 220MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	For Cryopyrin-Associated Periodic Syndromes (CAPS) (including Familial Cold Auto-inflammatory Syndrome [FCAS], and Muckle-Wells Syndrome [MWS]): Prescribed by, or in consultation with, a dermatologist, immunologist, rheumatologist, or pediatrician. For deficiency of interleukin-1 receptor antagonist (DIRA): Prescribed by, or in consultation with, a provider specializing in the treatment of DIRA. For Recurrent Pericarditis (RP): Prescribed by, or in consultation with, a cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ARIKAYCE 590MG/8.4ML INH SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failed to achieve negative sputum cultures after at least 6 months of multidrug regimen therapy for MAC lung disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist or pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- AURYXIA 210MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- AUSTEDO 12MG TAB
- AUSTEDO 9MG TAB

- AUSTEDO 6MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) For tardive dyskinesia: i) Member has failed to respond to a change, or is unable to switch current antidopaminergic therapy. B) For chorea associated with Huntington's disease: Member has intolerance to, or failure of therapy with, tetrabenazine.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or psychiatrist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- AYVAKIT 100MG TAB (New Starts Only)
- AYVAKIT 25MG TAB (New Starts Only)
- AYVAKIT 50MG TAB (New Starts Only)

- AYVAKIT 200MG TAB (New Starts Only)
- AYVAKIT 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For unresectable or metastatic gastrointestinal stromal tumor: Documentation is provided of PDGFRA exon 18 mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist, allergist, or immunologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -BALVERSA 3MG TAB (New Starts Only)
- -BALVERSA 5MG TAB (New Starts Only)

-BALVERSA 4MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of susceptible FGFR2 or FGFR3 genetic alteration.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- rufinamide 200mg tab (New Starts Only)
- rufinamide 40mg/ml susp (New Starts Only)

- rufinamide 400mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least one anti-epileptic medication was ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- BAXDELA 450MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for 6 months.
Other Criteria	

- BENLYSTA 200MG/ML AUTO-INJECTOR

-BENLYSTA 200MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	Member has severe active CNS lupus OR member is taking other biologics.
Required Medical Info	For systemic lupus erythematosus initial therapy: A) Member is required to be taking a concurrent corticosteroid unless contraindicated AND B) Trial and failure of one of the following: a) hydroxychloroquine, b) methotrexate, c) azathioprine OR d) mycophenolate. For continuation therapy (all diagnoses): Documentation is provided of disease improvement.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatologist, nephrologist, or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with voclosporin (Lupkynis). For lupus erythematosus initial therapy: Diagnosis of active systemic lupus erythematosus is confirmed by one of the following: A) anti-double stranded DNA value greater than 30 IU/mL OR B) low complement (C3/C4). For lupus erythematosus continuation therapy: lab values not required. For active lupus nephritis: Lab values not required.

- BENZNIDAZOLE 100MG TAB

-BENZNIDAZOLE 12.5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for 3 months.
Other Criteria	

- BESREMI 500MCG/ML SYRINGE (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -BOSULIF 100MG TAB (New Starts Only)
- -BOSULIF 500MG TAB (New Starts Only)

-BOSULIF 400MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- BRAFTOVI 75MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -BRIVIACT 100MG TAB (New Starts Only)
- -BRIVIACT 10MG/ML ORAL SOLN (New Starts Only)
- -BRIVIACT 50MG TAB (New Starts Only)

- -BRIVIACT 10MG TAB (New Starts Only)
- -BRIVIACT 25MG TAB (New Starts Only)
- -BRIVIACT 75MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- BRUKINSA 80MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -BYLVAY 1200MCG CAP
- -BYLVAY 400MCG CAP

-BYLVAY 200MCG ORAL PELLET

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	a)Diagnosis of progressive familial intrahepatic cholestasis confirmed by genetic testing (documentation is provided) AND b)Genetic testing does not indicate presence of ABCB11 variants that result in non-functional or complete absence of the BSEP-3 protein.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hepatologist, gastroenterologist, or provider that specializes in progressive familial intrahepatic cholestasis.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-CABLIVI 11MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Member has received or will receive the first dose of caplacizumab while undergoing plasma exchange for acquired thrombotic thrombocytopenic purpura. B) Prescriber attests that patient will be monitored and therapy continued beyond 30 days post-plasma exchange only if ADAMTS23 levels remain less than 10%.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for 4 months.
Other Criteria	

- CABOMETYX 20MG TAB (New Starts Only)
- CABOMETYX 40MG TAB (New Starts Only) - CABOMETYX 60MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation, with an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- calcipotriene 0.005% cream
- calcipotriene 0.005% topical soln

- calcipotriene 0.005% ointment

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CALQUENCE 100MG CAP (New Starts Only)

- CALQUENCE 100MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CAPLYTA 10.5MG CAP (New Starts Only)
- CAPLYTA 42MG CAP (New Starts Only)

- CAPLYTA 21MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CAPRELSA 100MG TAB (New Starts Only)

- CAPRELSA 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an endocrinologist or oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CARBAGLU 200MG TAB FOR ORAL SUSP

-carglumic acid 200mg tab for oral susp

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CAYSTON 75MG INH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist or pulmonology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CERDELGA 84MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a medical geneticist or metabolic physician.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CHOLBAM 250MG CAP

- CHOLBAM 50MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hepatologist or pediatric gastroenterologist.
Coverage Duration	Initial will be 3 months, then if criteria is met approved for the rest of the plan year.
Other Criteria	Renewal requires documentation is provided of stable or improved liver function.

- CIBINQO 100MG TAB
- **−** CIBINQO 50MG TAB

- CIBINQO 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Atopic Dermatitis (initial requests): Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Atopic Dermatitis (continuation requests): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	For atopic dermatitis: Prescribed by, or in consultation with, an allergist, immunologist, or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For atopic dermatitis (initial requests): Member has moderate to severe atopic dermatitis defined as: 1) One of the following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living.

- CIMZIA 200MG INJ

- CIMZIA 200MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Rheumatoid Arthritis (RA): Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel c) Rinvoq OR d) Xeljanz. For Ankylosing Spondylitis (AS): Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Rinvoq, OR e) Xeljanz. For Psoriatic Arthritis: Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi, g) Rinvoq OR h) Xeljanz. For Plaque Psoriasis: Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Skyrizi, e) Stelara OR f) Otezla. For Crohn's Disease: Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Stelara, OR c) Skyrizi. For Non-radiographic axial spondyloarthritis: Intolerance or failure of therapy with two non-steroidal anti-inflammatory drugs (NSAIDs).
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis, Non-radiographic axial spondyloarthritis or Ankylosing Spondylitis: Prescribed by, or in consultation, with a rheumatology specialist. For Crohn's Disease: Prescribed by, or in consultation with, a gastroenterology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a dermatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -COMETRIQ CAP 100MG DAILY DOSE CARTON PACK (New Starts O -COMETRIQ CAP 140MG DAILY DOSE CARTON PACK (New Starts O
- COMETRIQ CAP 60MG DAILY DOSE CARTON PACK (New Starts On

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- COPIKTRA 15MG CAP (New Starts Only)

- COPIKTRA 25MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CORLANOR 5MG TAB
- CORLANOR 7.5MG TAB

- CORLANOR 5MG/5ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For adults (18 years and older), one of the following: A) Member is on a maximally tolerated dose of beta blocker OR B) Member has a history of intolerance, contraindication, or a hypersensitivity to beta blocker.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a cardiology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- COTELLIC 20MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-CYSTADROPS 0.37% OPHTH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an ophthalmologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CYSTARAN 0.44% OPHTH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an ophthalmologist or medical geneticist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-roflumilast 250mcg tab

-roflumilast 500mcg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- DAURISMO 100MG TAB (New Starts Only)

- DAURISMO 25MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- DIACOMIT 250MG CAP (New Starts Only)
- DIACOMIT 500MG CAP (New Starts Only)

- DIACOMIT 250MG POWDER FOR ORAL SUSP (New Starts Only)
- DIACOMIT 500MG POWDER FOR ORAL SUSP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least 1 anti-epileptic medication was ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- DIFICID 200MG TAB

- DIFICID 40MG/ML SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of, intolerance, or contraindication to generic vancomycin capsules.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	

- DOPTELET 20MG TAB

- DOPTELET TAB 40MG DAILY DOSE PACK

- DOPTELET TAB 60MG DAILY DOSE PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For thrombocytopenia with chronic liver disease and scheduled to undergo a procedure: Member has a platelet count from the prior two weeks that shows less than 50,000 platelets per microliter.
Age Restrictions	
Prescriber Restriction	For chronic immune thrombocytopenia: Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- DAYVIGO 10MG TAB

- DAYVIGO 5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure of two of the following: a) eszopiclone, b) ramelteon, c) zaleplon, or d) zolpidem.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -dronabinol 10mg cap
- dronabinol 5mg cap

- dronabinol 2.5mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

- DUPIXENT 100MG/0.67ML SYRINGE
- DUPIXENT 200MG/1.14ML SYRINGE
- DUPIXENT 300MG/2ML SYRINGE

- DUPIXENT 200MG/1.14ML AUTO-INJECTOR
- DUPIXENT 300MG/2ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: For Atopic Dermatitis: Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant (trial of other agents not required for patients under 2 years of age). For Asthma: Prescriber attests that member has a history, within the last year, of at least 1 asthma exacerbation requiring one of the following: a) treatment with systemic corticosteroids, b) emergency department visit OR c) hospitalization. For nasal polyps: Intolerance to, or failure of therapy of both of the following: a) an oral corticosteroid AND b) a nasal corticosteroid. For eosinophilic esophagitis: Trial of a topical corticosteroid was ineffective, not tolerated, or contraindicated. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of Dupixent.
Age Restrictions	For Atopic Dermatitis: Member must be 6 months of age or older. For Asthma: Member must be 6 years of age or older. For Nasal polyps: Member must be 18 years of age or older.
Prescriber Restriction	Prescribed by, or in consultation with, an allergist, gastroenterologist, immunologist, pulmonologist, dermatologist or ENT specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For initial requests: For atopic dermatitis: Member has moderate to severe atopic dermatitis defined as: 1) One of the following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living. For asthma: Member has one of the following: 1) moderate to severe asthma with an eosinophilic phenotype (baseline blood eosinophil concentration is provided and is greater than or equal to 150 cells/mL) OR 2) member has oral corticosteroid-dependent asthma. For nasal polyps, both of the following: A) Bilateral nasal polyposis confirmed with sinus CT scan AND B) Prescriber attests to moderate to severe symptoms of nasal congestion, blockage, or obstruction (such as loss of smell, rhinorrhea, or facial pain). For eosinophilic esophagitis, both of the following: A) endoscopic biopsy with at least 15 eosinophils per high-power field (hpf) AND B) symptoms of esophageal dysfunction (e.g. dysphagia).

- -EMGALITY 100MG/ML SYRINGE
- -EMGALITY 120MG/ML SYRINGE

- EMGALITY 120MG/ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Both of the following: A) Member has 4 or more migraine days per month for the previous 3 months or longer AND B) Member has tried and failed an 8-week or greater trial of 2 of the 3 following drug classes: a) anticonvulsants, b) vasoactive agents, OR c) antidepressants. For episodic cluster headache prophylaxis: Member has tried and failed verapamil. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of Emgality.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ENBREL 25MG/0.5ML INJ
- ENBREL 50MG/ML AUTO-INJECTOR
- ENBREL 50MG/ML SYRINGE

- ENBREL 25MG/0.5ML SYRINGE
- ENBREL 50MG/ML CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 20mg/week required (or maximally tolerated dose). For Juvenile Idiopathic Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 15 mg/week required (or maximally tolerated dose). For Plaque Psoriasis: Failure of, or intolerance to therapy with one of the following: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) soriatane. For Ankylosing Spondylitis (AS): Failure of, or intolerance to sulfasalazine (Trial of sulfasalazine not required for AS with predominant axial involvement). For Psoriatic Arthritis: Failure of, or intolerance to one of the following: a) methothrexate OR b) sulfasalazine.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis, Juvenile Idiopathic Arthritis or Ankylosing Spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For plaque psoriasis: Prescribed by, or in consultation with, a Dermatology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ENDARI 5GM POWDER FOR ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1. Trial of maximally tolerated hydroxyurea dose was ineffective, not tolerated or contraindicated. 2. Member has had at least 1 vaso-occlusive crises in the prior 12 months, while on hydroxyurea (if applicable). 3. If prescriber is a hematologist at a Sickle Cell Center of Excellence, criteria 1 and 2 may be bypassed (Documentation is provided of the name of the center of excellence)
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ENSPRYNG 120MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of a positive test for anti-aquaporin-4 antibodies.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist, ophthalmologist, or neuro-ophthalmologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with eculizumab (Soliris) or inebilizumab (Uplinza).

- SOFOSBUVIR 400MG/VELPATASVIR 100MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) Patient is diagnosed with chronic HCV (greater than 6 months) with genotype indicated 2) Current HCV-RNA titer is provided 3) Documentation is provided that member does or does not have cirrhosis 4) Previous Hepatitis C Treatment(s) is provided.
Age Restrictions	Member must be 3 years of age or older
Prescriber Restriction	Prescribed by, or in consultation with, a gastroenterologist, hepatologist, infectious disease or transplant specialist.
Coverage Duration	Coverage duration of 12 weeks.
Other Criteria	Treatment regimen will be approved based on genotype and previous treatment experience as defined by current AASLD guidelines.

- EPIDIOLEX 100MG/ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least 1 anti-epileptic medication was ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- EPOGEN 10000UNIT/ML INJ
- EPOGEN 2000UNIT/ML INJ
- EPOGEN 4000UNIT/ML INJ

- EPOGEN 20000UNIT/ML INJ
- EPOGEN 3000UNIT/ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ERIVEDGE 150MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ERLEADA 60MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For metastatic castration-sensitive prostate cancer (mCSPC): failure of or intolerance to abiraterone (Zytiga equivalent) required. For nonmetastatic castration-resistant prostate cancer (nmCRPC): no prior agent trial required.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or urologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ESBRIET 267MG CAP
- ESBRIET 801MG TAB
- -pirfenidone 801mg tab

- ESBRIET 267MG TAB

-pirfenidone 267mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For idiopathic pulmonary fibrosis: Diagnosis confirmed by both of the following: A) No known cause of lung fibrosis AND B) One of the following: 1) Surgical lung biopsy revealing histopathological pattern of unspecified interstitial pneumonia (UIP) 2) High-resolution computed tomography indicates definite UIP pattern 3) Both High-resolution computed tomography indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- EVRYSDI 0.75MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of a genetic test confirming diagnosis of spinal muscular atrophy.
Age Restrictions	
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with nusinersen (Spinraza).

- EXKIVITY 40MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of EGFR exon 20 insertion mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- FANAPT 10MG TAB (New Starts Only)
- FANAPT 1MG TAB (New Starts Only)
- FANAPT 4MG TAB (New Starts Only)
- FANAPT 8MG TAB (New Starts Only)

- FANAPT 12MG TAB (New Starts Only)
- FANAPT 2MG TAB (New Starts Only)
- FANAPT 6MG TAB (New Starts Only)
- FANAPT TITRATION PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- FASENRA 30MG/ML AUTO-INJECTOR

- FASENRA 30MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: A) Peripheral blood eosinophil count is provided and greater than or equal to 150 cells per microliter. B) History of one (1) or more exacerbations in the previous year despite regular use of high-dose inhaled corticosteroids plus an additional controller(s). An exception is made for patients with intolerance or contraindication to high-dose inhaled corticosteroids and additional controller(s). For continuation requests: Documentation is provided of positive clinical response.
Age Restrictions	Member must be 12 years of age or older.
Prescriber Restriction	Prescribed by, or in consultation with, an allergy specialist, immunologist, or pulmonary specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- deferiprone 1000mg tab
- FERRIPROX 1000MG TAB

- deferiprone 500mg tab
- FERRIPROX 100MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- FINTEPLA 2.2MG/ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least 1 anti-epileptic medication was ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

FIRDAPSE 10MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Diagnosis of Lambert-Eaton myasthenic syndrome (LEMS) confirmed by one of the following: a) Presence of voltage-gated calcium channel antibodies OR b) electrophysiologic compound muscle action potential test findings are consistent with LEMS.

— FIRMAGON 120MG/VIAL INJ (New Starts Only)

- FIRMAGON 80MG INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or urologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- DICLOFENAC EPOLAMINE 1.3% PATCH

-FLECTOR 1.3% PATCH

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

FOTIVDA 0.89MG CAP (New Starts Only)

FOTIVDA 1.34MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- FYCOMPA 0.5MG/ML SUSP (New Starts Only)
- FYCOMPA 12MG TAB (New Starts Only)
- FYCOMPA 4MG TAB (New Starts Only)
- FYCOMPA 8MG TAB (New Starts Only)

- FYCOMPA 10MG TAB (New Starts Only)
- FYCOMPA 2MG TAB (New Starts Only)
- FYCOMPA 6MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For partial-onset seizures: Member tried and failed both of the following: a) topiramate AND b) Vimpat (lacosamide). For primary generalized tonic-clonic seizures: Member tried and failed two of the following: a) lamotrigine, b) levetiracetam, c) primidone OR d) topiramate.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or epilepsy specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- GALAFOLD 28 DAY WALLET 123MG PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided that member has an amenable glactosidase alpha gene (GLA) variant.
Age Restrictions	Member must be 16 years of age or older.
Prescriber Restriction	Prescribed by, or in consultation with, a medical geneticist, nephrologist or a prescriber specialized in the treatment of Fabry disease.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-GARDASIL 9 INJ

-GARDASIL 9 SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	PA not required for members age 9-45.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-GATTEX 5MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member is dependent on parenteral support for at least 12 months and at least 3 days per week.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- GAVRETO 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of RET gene fusion.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- GILOTRIF 20MG TAB (New Starts Only)
- GILOTRIF 40MG TAB (New Starts Only)

- GILOTRIF 30MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation. For squamous non-small cell lung cancer, documentation of EGFR mutation not required.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- glatiramer acetate 20mg/ml syringe
- glatopa 20mg/ml syringe

- glatiramer acetate 40mg/ml syringe
- −glatopa 40mg/ml syringe

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

− GENOTROPIN 0.2MG SYRINGE	→ GENOTROPIN 0.4MG SYRINGE
− GENOTROPIN 0.6MG SYRINGE	− GENOTROPIN 0.8MG SYRINGE
− GENOTROPIN 1.2MG SYRINGE	− GENOTROPIN 1.4MG SYRINGE
− GENOTROPIN 1.6MG SYRINGE	− GENOTROPIN 1.8MG SYRINGE
− GENOTROPIN 12MG CARTRIDGE	- GENOTROPIN 1MG SYRINGE
- GENOTROPIN 2MG SYRINGE	− GENOTROPIN 5MG CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	The criteria for approval of growth hormones in adults require the diagnosis of Somatropin Deficiency Syndrome (defined by failure to stimulate Growth Hormone secretion (peak GH level of 10mcg/L or less) by one of the acceptable provocative tests). This may include adults who, as children, had Growth Hormone deficiency or adults with known pituitary disease.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- BERINERT 500UNIT INJ
- HAEGARDA 2000UNIT INJ
- -icatibant 10mg/ml syringe
- sajazir 30mg/3ml syringe
- TAKHZYRO 300MG/2ML SYRINGE

- CINRYZE 500UNIT INJ
- -HAEGARDA 3000UNIT INJ
- -RUCONEST 2100UNIT INJ
- TAKHZYRO 300MG/2ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-HETLIOZ 20MG CAP

- HETLIOZ 4MG/ML SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For non-24-hour sleep-wake disorder: Member is totally blind. For Smith-Magenis syndrome: Diagnosis of nighttime sleep disturbances in Smith-Magenis syndrome.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or sleep specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -JUXTAPID 10MG CAP
- -JUXTAPID 30MG CAP

- -JUXTAPID 20MG CAP
- -JUXTAPID 5MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) One of the following: i) Untreated LDL greater than 500 mg/dL OR ii) treated LDL greater than or equal to 300 mg/dL. B) Concurrent use of maximum statin dose (atorvastatin or rosuvastatin) and one other lipid lowering agent (dates and reasons for discontinuation are provided). For patients with statin intolerance, concurrent use of maximum statin dose not required. C) Documentation is provided showing the most recent full lipid panel, including Apo-B, from within the past 12 months.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a lipidologist, cardiologist, or an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- HUMIRA 10MG/0.1ML SYRINGE
- HUMIRA 40MG/0.4ML AUTO-INJECTOR
- HUMIRA 40MG/0.8ML AUTO-INJECTOR
- HUMIRA 80MG/0.8ML AUTO-INJECTOR
- HUMIRA PEN CROHN'S STARTER PACK 40MG/0.8ML INJ
- HUMIRA PEN PEDIATRIC UC STARTER PACK 80MG/0.8ML INJ

- -HUMIRA 20MG/0.2ML SYRINGE
- HUMIRA 40MG/0.4ML SYRINGE
- -HUMIRA 40MG/0.8ML SYRINGE
- -HUMIRA PEDIATRIC CROHN'S STARTER PACK SYRINGE (2) 40MC
- HUMIRA PEN CROHN'S STARTER PACK 80MG/0.8ML INJ
- HUMIRA PEN PSORIASIS STARTER PACK 40MG/0.8ML
- -HUMIRA PEN 80MG/0.8ML AND 40MG/0.4ML PSORIASIS/UVEITI: -HUMIRA PREFILLED SYRINGE 80MG/0.8ML STARTER PACK PEL

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 20mg/week required (or maximally tolerated dose). For Juvenile Idiopathic Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 15 mg/week required (or maximally tolerated dose). For Plaque Psoriasis: Failure of, or intolerance to therapy with one of the following: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) soriatane. For Ankylosing Spondylitis (AS): Failure of, or intolerance to sulfasalazine (Trial of sulfasalazine not required for AS with predominant axial involvement). For Psoriatic Arthritis: Failure of, or intolerance to one of the following: a) methothrexate OR b) sulfasalazine. For Ulcerative Colitis or Crohn's Disease: Failure of, or intolerance to one of the following: a) corticosteroid, b) azathioprine, c) methotrexate OR d) 6-mercaptopurine. For Hidradenitis Suppurativa (HS): Member must have both of the following: a) At least 3 cysts AND b) failure of therapy with at least one (1) oral antibiotic. For Uveitis: Failure of, or intolerance to, therapy with both of the following: a) a corticosteroid AND b) an immunosuppressant (methotrexate or cyclosporine).
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis, Juvenile Idiopathic Arthritis or Ankylosing Spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For Plaque Psoriasis and Hidradenitis Suppurativa(HS): Prescribed by, or in consultation with, a dermatology specialist. For Crohn's Disease and Ulcerative Colitis: Prescribed by, or in consultation with, a gastroenterology specialist. For Uveitis: Prescribed by, or in consult with, a rheumatology specialist OR ophthalmologist.
Coverage Duration	Approved for duration of contract year.

Other Criteria

- IBRANCE 100MG CAP (New Starts Only)
- IBRANCE 125MG CAP (New Starts Only)
- IBRANCE 75MG CAP (New Starts Only)

- IBRANCE 100MG TAB (New Starts Only)
- IBRANCE 125MG TAB (New Starts Only)
- IBRANCE 75MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ICLUSIG 10MG TAB (New Starts Only)
- ICLUSIG 30MG TAB (New Starts Only)

- ICLUSIG 15MG TAB (New Starts Only)
- ICLUSIG 45MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- IDHIFA 100MG TAB (New Starts Only)

- IDHIFA 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of IDH2 mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ABILIFY 300MG INJ (New Starts Only)
- ABILIFY 400MG INJ (New Starts Only)
- ARISTADA 1064MG/3.9ML SYRINGE (New Starts Only)
- ARISTADA 662MG/2.4ML SYRINGE (New Starts Only)
- ARISTADA 882MG/3.2ML SYRINGE (New Starts Only)
- INVEGA 117MG/0.75ML SYRINGE (New Starts Only)
- INVEGA 156MG/ML SYRINGE (New Starts Only)
- INVEGA 273MG/0.875ML SYRINGE (New Starts Only)
- INVEGA 410MG/1.315ML SYRINGE (New Starts Only)
- INVEGA 78MG/0.5ML SYRINGE (New Starts Only)
- RISPERDAL 12.5MG INJ (New Starts Only)
- RISPERDAL 37.5MG INJ (New Starts Only)

- ABILIFY 300MG SYRINGE (New Starts Only)
- ABILIFY 400MG SYRINGE (New Starts Only)
- ARISTADA 441MG/1.6ML SYRINGE (New Starts Only)
- ARISTADA 675MG/2.4ML SYRINGE (New Starts Only)
- INVEGA 1092MG/3.5ML SYRINGE (New Starts Only)
- INVEGA 1560MG/5ML SYRINGE (New Starts Only)
- INVEGA 234MG/1.5ML SYRINGE (New Starts Only)
- INVEGA 39MG/0.25ML SYRINGE (New Starts Only)
- INVEGA 546MG/1.75ML SYRINGE (New Starts Only)
- INVEGA 819MG/2.625ML SYRINGE (New Starts Only)
- RISPERDAL 25MG INJ (New Starts Only)
- RISPERDAL 50MG INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has established tolerability with the oral version of medication being requested.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- IMBRUVICA 140MG CAP (New Starts Only)
- IMBRUVICA 280MG TAB (New Starts Only)
- IMBRUVICA 560MG TAB (New Starts Only)
- IMBRUVICA 70MG/ML SUSP (New Starts Only)

- IMBRUVICA 140MG TAB (New Starts Only)
- IMBRUVICA 420MG TAB (New Starts Only)
- IMBRUVICA 70MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist, hemotologist, or transplant specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- IMPAVIDO 50MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for 1 month.
Other Criteria	

- INCRELEX 40MG/4ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -INGREZZA 40MG CAP
- -INGREZZA 80MG CAP

- INGREZZA 60MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) One of the following: i) Member has failed to respond to a change in current antidopaminergic therapy OR ii) Member is unable to switch current antidopaminergic therapy OR iii) Member has symptoms of tardive dyskinesia and is not using antidopaminergic therapy B) Member has a functional disability due to tardive dyskinesia.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or psychiatrist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- INLYTA 1MG TAB (New Starts Only)

- INLYTA 5MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- INQOVI 5 TABLET PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- INREBIC 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed Jakafi.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- IRESSA 250MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ISTURISA 10MG TAB
- ISTURISA 5MG TAB

- ISTURISA 1MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For continuation requests: Documentation is provided of urinary cortisol levels that show a positive clinical response.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— itraconazole 10mg/ml oral soln

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For onychomycosis, member has failed terbinafine.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with an Infectious Disease Specialist, Pulmonary Specialist, or Dermatology Specialist.
Coverage Duration	Approved for 6 months.
Other Criteria	

- PANZYGA 20GM/200ML INJ

- PANZYGA 5GM/50ML INJ

-BIVIGAM 5GM/50ML INJ	- FLEBOGAMMA 5GM/50ML INJ
−GAMMAGARD 10GM INJ	− GAMMAGARD 2.5GM/25ML INJ
−GAMMAGARD 5GM INJ	− GAMMAKED 1GM/10ML INJ
−GAMMAPLEX 10GM/100ML INJ	− GAMMAPLEX 10GM/200ML INJ
− GAMMAPLEX 20GM/200ML INJ	− GAMMAPLEX 5GM/50ML INJ
−GAMUNEX 1GM/10ML INJ	→ OCTAGAM 1GM/20ML INJ
→ OCTAGAM 2GM/20ML INJ	- PANZYGA 10GM/100ML INJ
- PANZYGA 1GM/10ML INJ	- PANZYGA 2.5GM/25ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Approval will be based off BvD coverage determination.

- PANZYGA 30GM/300ML INJ

- PRIVIGEN 20GM/200ML INJ

- JAKAFI 10MG TAB (New Starts Only)
- JAKAFI 20MG TAB (New Starts Only)
- JAKAFI 5MG TAB (New Starts Only)

- JAKAFI 15MG TAB (New Starts Only)
- JAKAFI 25MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist, oncologist, or transplant specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- − JYNARQUE 15MG TAB
- JYNARQUE TAB 15/15 CARTON 15MG PACK
- **−** JYNARQUE TAB 45/15 CARTON PACK
- JYNARQUE TAB 90/30 CARTON PACK

- JYNARQUE 30MG TAB
- − JYNARQUE TAB 30/15 CARTON PACK
- − JYNARQUE TAB 60/30 CARTON PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has an eGFR of 25 ml/min/1.73m2 or greater.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a nephrologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -KALYDECO 150MG TAB
- -KALYDECO 50MG GRANULES

- -KALYDECO 25MG GRANULES
- -KALYDECO 75MG GRANULES

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-KERENDIA 10MG TAB

- KERENDIA 20MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of Farxiga was not tolerated or contraindicated.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- KEVZARA 150MG/1.14ML AUTO-INJECTOR
- KEVZARA 200MG/1.14ML AUTO-INJECTOR

- KEVZARA 150MG/1.14ML SYRINGE
- KEVZARA 200MG/1.14ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For rheumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Humira, b) Enbrel, c) Rinvoq OR d) Xeljanz
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- KISQALI 200MG DAILY DOSE PACK (New Starts Only)
- -KISQALI 600MG DAILY DOSE PACK (New Starts Only)
- KISQALI FEMARA CO-PACK 400 PACK (New Starts Only)

- -KISQALI 400MG DAILY DOSE PACK (New Starts Only)
- KISQALI FEMARA CO-PACK 200 PACK (New Starts Only)
- KISQALI FEMARA CO-PACK 600 PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Intolerance or contraindication to therapy with both of the following: a) Verzenio AND b) Ibrance.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

– KORLYM 300MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- KOSELUGO 10MG CAP (New Starts Only)

- KOSELUGO 25MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Chart notes documentation is provided that indicates inoperable and symptomatic disease
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -javygtor 100mg powder for oral soln
- sapropterin 100mg tab

- sapropterin 100mg powder for oral soln
- sapropterin 500mg powder for oral soln

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For continuation therapy: Documentation is provided of disease improvement.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a medical geneticist or metabolic physician.
Coverage Duration	Initial approval of 3 months. Continuing therapy approved for duration of contract year.
Other Criteria	

- -KYNMOBI 10MG SUBLINGUAL FILM
- -KYNMOBI 20MG SUBLINGUAL FILM
- -KYNMOBI 30MG SUBLINGUAL FILM

- KYNMOBI 15MG SUBLINGUAL FILM
- -KYNMOBI 25MG SUBLINGUAL FILM

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failed levodopa/carbidopa adjunctive therapy in combination with both of the following: a) rasagiline AND b) entacapone.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- LENVIMA 10 10MG PACK (New Starts Only)
- LENVIMA 14 PACK (New Starts Only)
- LENVIMA 20 10MG PACK (New Starts Only)
- LENVIMA 4 4MG PACK (New Starts Only)

- LENVIMA 12 4MG PACK (New Starts Only)
- -LENVIMA 18 PACK (New Starts Only)
- -LENVIMA 24 PACK (New Starts Only)
- LENVIMA 8 4MG PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-ambrisentan 10mg tab

— ambrisentan 5mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a cardiologist or pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- lidocaine 5% patch

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D. Management of neuropathic pain associated with diabetic peripheral neuropathy and postherpetic neuralgia.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- lidocaine 5% ointment

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -LINZESS 145MCG CAP
- -LINZESS 290MCG CAP -LINZESS 72MCG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- LIVMARLI 9.5MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Documentation is provided of a mutation in one of the following: a) JAG1 gene OR b) NOTCH2 gene. For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hepatologist, gastroenterologist, or provider that specializes in the treatment of Alagille syndrome.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- LIVTENCITY 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Prescriber attests that the medication will not be used for CMV infection prophylaxis.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist, oncologist, transplant or infectious disease specialist.
Coverage Duration	Approved for 3 months.
Other Criteria	

-LOKELMA 10GM POWDER FOR ORAL SUSP

-LOKELMA 5GM POWDER FOR ORAL SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has baseline persistent potassium level greater than 5.0 mmol/L.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a nephrologist, cardiologist, hematologist or endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-LONSURF 6.14-15MG TAB (New Starts Only)

-LONSURF 8.19-20MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- LORBRENA 100MG TAB (New Starts Only)

-LORBRENA 25MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-LUCEMYRA 0.18MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, clonidine.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a prescriber specializing in pain management or addiction treatment.
Coverage Duration	Approved for 1 month.
Other Criteria	If member was initiated on lofexidine at an inpatient facility and request is for continuing therapy for up to a total of 14 days, prescriber and medical restrictions not required.

- LUMAKRAS 120MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of KRAS G12C mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-LUPKYNIS 7.9MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For continuation therapy: Documentation is provided of disease improvement.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatologist or nephrologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with belimumab (Benlysta).

- LYBALVI 10-10MG TAB (New Starts Only)
- LYBALVI 20-10MG TAB (New Starts Only)

- LYBALVI 15-10MG TAB (New Starts Only)
- LYBALVI 5-10MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- LYNPARZA 100MG TAB (New Starts Only)

- LYNPARZA 150MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an Oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- MAVYRET 100-40MG TAB

- MAVYRET 50-20MG ORAL PELLET

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) Patient is diagnosed with chronic HCV (greater than 6 months) with genotype indicated 2) Current HCV-RNA titer is provided 3) Documentation is provided that member does or does not have cirrhosis 4) Previous Hepatitis C Treatment(s) is provided.
Age Restrictions	Member must be 3 years of age or older
Prescriber Restriction	Prescribed by, or in consultation with, a gastroenterologist, hepatologist, infectious disease or transplant specialist.
Coverage Duration	Coverage duration of 8 to 16 weeks. Applied consistent with current AASLD-IDSA guidance.
Other Criteria	Treatment regimen will be approved based on genotype and previous treatment experience as defined by current AASLD guidelines.

- megestrol acetate 125mg/ml susp

- megestrol acetate 40mg/ml susp

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- megestrol acetate 20mg tab (New Starts Only)

- megestrol acetate 40mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-MEKINIST 0.5MG TAB (New Starts Only)

- MEKINIST 2MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

→ MEKTOVI 15MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- METHITEST 10MG TAB

- METHYLTESTOSTERONE 10MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) For hypogonadism: Documentation is provided of morning testosterone levels, from two separate days, fall below the normal range for a healthy adult male. B) For patients already on testosterone replacement therapy, documentation is provided of at least one morning testosterone level from the last 12 months is required. C) For sexual development or metastasis from malignant tumor of breast, inoperable metastatic disease (skeletal) in women 1 to 5 years postmenopausal: testosterone levels are not required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— dihydroergotamine mesylate 0.5mg/act nasal inhaler

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trials of 2 different triptans were ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- MOTEGRITY 1MG TAB

-MOTEGRITY 2MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure of trulance.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- MOUNJARO 10MG/0.5ML AUTO-INJECTOR
- MOUNJARO 15MG/0.5ML AUTO-INJECTOR
- MOUNJARO 5MG/0.5ML AUTO-INJECTOR

- MOUNJARO 12.5MG/0.5ML AUTO-INJECTOR
- MOUNJARO 2.5MG/0.5ML AUTO-INJECTOR
- MOUNJARO 7.5MG/0.5ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of both of the following was ineffective, contraindicated, or not tolerated: A) Trulicity AND B) Ozempic.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- MOVANTIK 12.5MG TAB

- MOVANTIK 25MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

− MYFEMBREE 1-0.5-40MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, one hormonal contraceptive.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an obstetrician/gynecologist or women's health/reproductive specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Member does not have known osteoporosis.

- ABELCET 5MG/ML INJ
- acetylcysteine 200mg/ml inh soln
- albuterol 0.21mg/ml (0.63mg/3ml) inh soln
- albuterol 5mg/ml inh soln
- AMBISOME 50MG INJ
- ANZEMET 50MG TAB
- aprepitant 125mg/aprepitant 80mg pack
- aprepitant 80mg cap
- ASTAGRAF 0.5MG ER CAP
- ASTAGRAF 5MG ER CAP
- azathioprine 50mg tab
- budesonide 0.125mg/ml inh susp
- budesonide 0.5mg/ml inh susp
- -CLINIMIX 4.25/5 INJ
- CLINIMIX 5/20 INJ
- CLINIMIX E 4.25/10 INJ
- -CLINIMIX E 5/15 INJ
- -clinisol 15 inj
- CYCLOPHOSPHAMIDE 25MG TAB
- -CYCLOPHOSPHAMIDE 50MG TAB
- cyclosporine 25mg cap
- cyclosporine modified 100mg/ml oral soln
- cyclosporine modified 50mg cap
- ENGERIX-B 10MCG/0.5ML SYRINGE
- ENGERIX-B 20MCG/ML SYRINGE
- ENVARSUS 1MG ER TAB
- everolimus 0.25mg tab
- everolimus 0.75mg tab
- -FIASP 100UNIT/ML INJ

- acetylcysteine 100mg/ml inh soln
- acyclovir 50mg/ml inj
- albuterol 0.83mg/ml (0.083%) inh soln
- albuterol neb soln 1.25mg/3ml
- AMPHOTERICIN B 50MG INJ
- aprepitant 125mg cap
- aprepitant 40mg cap
- arformoterol tartrate 15mcg/2ml neb soln
- ASTAGRAF 1MG ER CAP
- azathioprine 100mg tab
- azathioprine 75mg tab
- budesonide 0.25mg/ml inh susp
- -CLINIMIX 4.25/10 INJ
- -CLINIMIX 5/15 INJ
- -CLINIMIX E 2.75/5 INJ
- CLINIMIX E 4.25/5 INJ
- -CLINIMIX E 5/20 INJ
- -CYCLOPHOSPHAMIDE 25MG CAP
- CYCLOPHOSPHAMIDE 50MG CAP
- -cyclosporine 100mg cap
- -cyclosporine modified 100mg cap
- cyclosporine modified 25mg cap
- DIPHTHERIA/TETANUS TOXOID INJ
- ENGERIX-B 20MCG/ML INJ
- -ENVARSUS 0.75MG ER TAB
- ENVARSUS 4MG ER TAB
- everolimus 0.5mg tab
- everolimus 1mg tab
- —formoterol fumarate neb soln 20mcg/2ml

- gengraf 100mg cap
- gengraf 25mg cap
- GLUCOSE 100MG/ML/SODIUM CHLORIDE 2MG/ML INJ
- -granisetron 1mg tab
- IMOVAX 2.5UNIT/ML INJ
- -INTRALIPID 30GM/100ML INJ
- ipratropium/albuterol 0.5-2.5mg/3ml inh soln
- levalbuterol neb soln 0.31mg/3ml
- levalbuterol neb soln 1.25mg/3ml
- methylprednisolone 16mg tab
- methylprednisolone 4mg tab
- MILLIPRED 5MG TAB
- mycophenolate mofetil 250mg cap
- mycophenolic acid 180mg dr tab
- NOVOLOG 100UNIT/ML INJ
- ondansetron 0.8mg/ml oral soln
- ondansetron 4mg tab
- ondansetron 8mg tab
- plenamine 15% inj
- prednisolone 15mg odt
- prednisolone 2mg/ml oral soln
- prednisolone 3mg/ml oral soln
- PREDNISOLONE 5MG/ML ORAL SOLN
- prednisone 1mg tab
- -prednisone 2.5mg tab
- -prednisone 50mg tab
- PREDNISONE 5MG/ML ORAL SOLN
- -PREMASOL 10% INJ
- -PROGRAF 1MG GRANULES FOR ORAL SUSP
- PULMOZYME 1MG/ML INH SOLN

- gengraf 100mg/ml oral soln
- -glucose 100mg/ml inj
- GLUCOSE 100MG/ML/SODIUM CHLORIDE 4.5MG/ML INJ
- -HUMULIN R 500UNIT/ML INJ
- INTRALIPID 20GM/100ML INJ
- ipratropium bromide 0.2mg/ml inh soln
- levalbuterol 0.21mg/ml inh soln
- levalbuterol neb soln 1.25mg/0.5ml
- MEDROL 2MG TAB
- methylprednisolone 32mg tab
- methylprednisolone 8mg tab
- mycophenolate mofetil 200mg/ml susp
- mycophenolate mofetil 500mg tab
- mycophenolic acid 360mg dr tab
- NUTRILIPID 20GM/100ML INJ
- ondansetron 4mg odt
- ondansetron 8mg odt
- -pentamidine isethionate 50mg/ml inh soln
- -prednisolone 10mg odt
- -prednisolone 1mg/ml oral soln
- prednisolone 30mg odt
- prednisolone 4mg/ml oral soln
- − prednisone 10mg tab
- -PREDNISONE 1MG/ML ORAL SOLN
- prednisone 20mg tab
- **−**prednisone 5mg tab
- PREHEVBRIO 10MCG/ML INJ
- PROGRAF 0.2MG GRANULES FOR ORAL SUSP
- -PROSOL 20% INJ
- RABAVERT 2.5UNIT/ML INJ

- RECOMBIVAX 10MCG/ML INJ
- RECOMBIVAX 40MCG/ML INJ
- RECOMBIVAX 5MCG/0.5ML SYRINGE
- sirolimus 0.5mg tab
- sirolimus 1mg/ml oral soln
- tacrolimus 0.5mg cap
- tacrolimus 5mg cap
- TENIVAC 4-10UNIT/ML INJ
- TPN ELECTROLYTES INJ
- TROPHAMINE 10% INJ
- -ZORTRESS 1MG TAB

- RECOMBIVAX 10MCG/ML SYRINGE
- RECOMBIVAX 5MCG/0.5ML INJ
- SANDIMMUNE 100MG/ML ORAL SOLN
- sirolimus 1mg tab
- -sirolimus 2mg tab
- -tacrolimus 1mg cap
- TDVAX 4-4UNIT/ML INJ
- **—** TENIVAC 4-10UNIT/ML SYRINGE
- -TRAVASOL 10% INJ
- -VARUBI 90MG TAB

PA Criteria	Criteria Details
Covered Uses	This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	
Other Criteria	

- NATPARA 100MCG CARTRIDGE
- NATPARA 50MCG CARTRIDGE

- NATPARA 25MCG CARTRIDGE
- -NATPARA 75MCG CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NERLYNX 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- sorafenib 200mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NINLARO 2.3MG CAP (New Starts Only)
- NINLARO 4MG CAP (New Starts Only)

-NINLARO 3MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- droxidopa 100mg cap
- droxidopa 300mg cap

- droxidopa 200mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NOURIANZ 20MG TAB

-NOURIANZ 40MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed one agent from both of the following classes when used in combination with carbidopa/levodopa: 1) COMT inhibitor AND 2) MAO-B inhibitor.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NOXAFIL 40MG/ML SUSP

-posaconazole 100mg dr tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease physician or pulmonology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-NUBEQA 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or urologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -NUCALA 100MG INJ
- -NUCALA 100MG/ML SYRINGE

- NUCALA 100MG/ML AUTO-INJECTOR
- -NUCALA 40MG/0.4ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Asthma diagnosis: Both of the following: A) Peripheral blood eosinophil count is provided and is greater than or equal to 150 cells per microliter. B) History of 1 or more exacerbations in the previous year despite regular use of high-dose inhaled corticosteroids plus an additional controller(s). An exception is made for patients with intolerance or contraindication to high-dose inhaled corticosteroids and additional controller(s). For eosinophilic granulomatosis with polyangiitis (EGPA): confirmation of diagnosis required. For hypereosinophilic syndrome: Both of the following: A) Diagnosis confirmed by blood eosinophil count greater than 1000 cells per microliter AND B) Hypereosinophilic syndrome has persisted for at least six months. For nasal polyps: Intolerance to, or failure of therapy of both of the following: a) an oral corticosteroid AND b) a nasal corticosteroid. For continuation requests (all diagnoses): Documentation is provided of positive clinical response.
Age Restrictions	For Severe Asthma diagnosis: Member must be 6 years of age or older. For eosinophilic granulomatosis with polyangiitis (EGPA) diagnosis: Member must be 18 years of age or older. For hypereosinophilic syndrome diagnosis: Member must be 12 years of age or older.
Prescriber Restriction	Prescribed by, or in consultation with, an allergy specialist, immunologist, otolaryngologist, pulmonary specialist, gastroenterologist, hematologist, or rheumatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NUEDEXTA 20-10MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided (in the form of chart notes or imaging) of a structural neurological condition as the cause of pseudobulbar affect AND disease severity demonstrated by a score of 13 or greater on the Center for Neurologic Study Lability Scale (CNS-LS).
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a Neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NUPLAZID 10MG TAB (New Starts Only)

-NUPLAZID 34MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NURTEC 75MG ODT

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For acute treatment of migraine: Trials of 2 different triptans were ineffective or not tolerated. For migraine prevention: Failure of, or intolerance to, both of the following: A) Emgality AND B) Aimovig.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- armodafinil 150mg tab
- armodafinil 250mg tab
- -modafinil 100mg tab

- armodafinil 200mg tab
- armodafinil 50mg tab
- modafinil 200mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-NUZYRA 150MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for 1 month.
Other Criteria	

-OCALIVA 10MG TAB

-OCALIVA 5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has one of the following: a) inadequate response to a year of therapy with ursodiol OR b) experienced intolerance to ursodiol.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hepatologist or gastroenterologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- octreotide 0.05mg/ml inj
- octreotide 0.2mg/ml inj
- octreotide 1mg/ml inj

- octreotide 0.1mg/ml inj
- octreotide 0.5mg/ml inj

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ODOMZO 200MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

→ OFEV 100MG CAP

→ OFEV 150MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) For idiopathic pulmonary fibrosis: Diagnosis confirmed by both of the following: A) No known cause of lung fibrosis AND B) One of the following: i) Surgical lung biopsy revealing histopathological pattern of unspecified interstitial pneumonia (UIP) ii) High-resolution computed tomography (HRCT) indicates definite UIP pattern iii) Both HRCT indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP. 2) For systemic sclerosis-associated iterstitial lung disease (ILD): A) Diagnosis confirmed with documentation provided of both of the following: i) HRCT scan AND ii) pulmonary function tests AND B) Member has tried and failed mycophenolate. 3) For chronic fibrosing ILDs with a progressive phenotype: A) Presence of reticular abnormality with traction bronchiectastis with a disease extent of more than 10% on HRCT AND B) Disease is progressive, defined by one of the following over the past 24 months, despite treatment: i) Forced vital capacity (FVC) decline of 10% or more OR ii) Two of the following: a) FVC decline of 5% or more b) worsening respiratory symptoms c) increasing extent of fibrotic changes on chest imaging AND C) Progression occurred despite treatment with one of the following: i) azathioprine ii) cyclosporine iii) mycophenolate mofetil iv) tacrolimus v) oral corticosteroids equivalent to 20 mg or more per day of prednisone vi) cyclophosphamide vii) rituximab
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist, pulmonologist, or rheumatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-OLUMIANT 1MG TAB

- OLUMIANT 2MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For rheumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Humira, b) Enbrel, c) Rinvoq OR d) Xeljanz
Age Restrictions	
Prescriber Restriction	Prescribed by or in consultation with, a rheumatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-ONGENTYS 25MG CAP

-ONGENTYS 50MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed one agent from both of the following classes when used in combination with carbidopa/levodopa: 1) COMT inhibitor AND 2) MAO-B inhibitor.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ONUREG 200MG TAB (New Starts Only)

- ONUREG 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- OPSUMIT 10MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a cardiologist or pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

FENTANYL 0.1MG BUCCAL TAB

FENTANYL 0.4MG BUCCAL TAB

FENTANYL 0.8MG BUCCAL TAB

—fentanyl 1600mcg lozenge

—fentanyl 400mcg lozenge

—fentanyl 800mcg lozenge

- FENTORA 200MCG BUCCAL TAB

- FENTORA 600MCG BUCCAL TAB

- FENTANYL 0.2MG BUCCAL TAB

FENTANYL 0.6MG BUCCAL TAB

—fentanyl 1200mcg lozenge

— fentanyl 200mcg lozenge

—fentanyl 600mcg lozenge

FENTORA 100MCG BUCCAL TAB

-FENTORA 400MCG BUCCAL TAB

- FENTORA 800MCG BUCCAL TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documented tolerance to opioids defined as patients taking around the clock medicine consisting of at least 60mg of oral morphine daily, at least 25mcg of transdermal fentanyl per hour, at least 30mg of oxycodone daily, at least 8mg of oral hydromorphone daily, or an equianalgesic dose of another opioid daily for a week or longer.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ORENCIA 125MG/ML AUTO-INJECTOR
- ORENCIA 50MG/0.4ML SYRINGE

- ORENCIA 125MG/ML SYRINGE
- ORENCIA 87.5MG/0.7ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For rheumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Enbrel, b) Humira, c) Rinvoq OR d) Xeljanz. For polyarticular juvenile idiopathic arthritis: Intolerance to, or failure of therapy with 2 of the following: a) Humira, b) Enbrel OR c) Xeljanz. For Psoriatic Arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi OR g) Xeljanz.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with a Rheumatology or Transplant Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ORENITRAM 0.125MG ER TAB
- ORENITRAM 1MG ER TAB
- ORENITRAM 5MG ER TAB

- ORENITRAM 0.25MG ER TAB
- -ORENITRAM 2.5MG ER TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- nitisinone 10mg cap
- nitisinone 5mg cap
- ORFADIN 4MG/ML SUSP

- nitisinone 2mg cap

→ ORFADIN 20MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-ORGOVYX 120MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or urologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ORIAHNN 28 DAY KIT PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, one hormonal contraceptive.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an obstetrician/gynecologist or women's health/reproductive specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Member does not have known osteoporosis.

-ORILISSA 150MG TAB

- ORILISSA 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, both of the following: a) one non-steroidal anti-inflammatory drug (NSAID) AND b) one hormonal contraceptive.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an obstetrician/gynecologist or women's health/reproductive specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Member does not have known osteoporosis.

- ORKAMBI 125-100MG GRANULES
- ORKAMBI 125-200MG TAB

- ORKAMBI 125-100MG TAB
- ORKAMBI 188-150MG GRANULES

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- OSPHENA 60MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Intolerance to, or failure of, therapy with both of the following: a) generic estradiol vaginal cream and b) PREMARIN VAGINAL CREAM.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

—OTEZLA 28-DAY STARTER PACK

−OTEZLA 30MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For oral ulcers associated with Behcet's disease: Trial of topical triamcinolone 0.1% oral paste was ineffective, not tolerated, or contraindicated. For Psoriatic Arthritis: Failure of, or intolerance to, one of the following required: a) methothrexate OR b) sulfasalazine. For Plaque Psoriasis: Failure of, or intolerance to, one of the following: a) methotrexate at a dose of 15mg/week (or maximally tolerated dose) OR b) soriatane.
Age Restrictions	
Prescriber Restriction	For oral ulcers associated with Behcet's disease and psoriatic arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a Dermatology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For oral ulcers associated with Behcet's disease: Diagnosis confirmed by the presence of oral ulcers AND at least two of the following: recurrent genital ulceration, eye lesions, skin lesions, positive pathergy test.

- oxandrolone 10mg tab

- oxandrolone 2.5mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-OXBRYTA 300MG TAB FOR ORAL SUSP

−OXBRYTA 500MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1. Trial of maximally tolerated hydroxyurea dose was ineffective, not tolerated or contraindicated. 2. Member has had at least 1 vaso-occlusive crisis in the prior 12 months, while on hydroxyurea (if applicable). 3. If prescriber is a hematologist at a Sickle Cell Center of Excellence, criteria 1 and 2 may be bypassed (Documentation is provided of the name of the center of excellence).
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

→ OXERVATE 0.002% OPHTH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Eye to be treated has never been treated with Oxervate in the past.
Age Restrictions	
Prescriber Restriction	Prescribed by an ophthalmologist.
Coverage Duration	Approved for 3 months.
Other Criteria	

- PALYNZIQ 10MG/0.5ML SYRINGE
- **—** PALYNZIQ 20MG/ML SYRINGE

- PALYNZIQ 2.5MG/0.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	Member is 18 years of age or older.
Prescriber Restriction	Prescribed by or in consultation with, a medical geneticist or metabolic physician.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

→ PANRETIN 0.1% GEL (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- PRALUENT 150MG/ML AUTO-INJECTOR
- REPATHA 140MG/ML AUTO-INJECTOR
- REPATHA 420MG/3.5ML CARTRIDGE

- PRALUENT 75MG/ML AUTO-INJECTOR
- REPATHA 140MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initiation of therapy patient must: A) Have one of the following conditions: 1) prior clinical atherosclerotic cardiovascular disease (ASCVD) (see Other Criteria), 2) heterozygous familial hypercholesterolemia (HeFH) (see Other Criteria) 3) homozygous familial hypercholesterolemia (HoFH) (see Other Criteria) or 4) Primary hyperlipidemia other than HeFH and HoFH (see Other Criteria) B) Current LDL-C level is over 70 mg/dL. C) one of the following requirements is met: 1) patient has been treated for 8 weeks or more with a high intensity statin (atorvastatin 40mg or greater OR rosuvastatin 20mg or greater), OR 2) patient is intolerant to statins demonstrated by the failure of 2 statins, including an attempt with a low- or alternatively-dosed statin (twice weekly low-dose rosuvastatin or atorvastatin, low-intensity pitavastatin or pravastatin). Criteria B) and C) not required for HoFH. For continuation of therapy, patient must: A) have one of the following conditions: 1) prior clinical ASCVD (see Other Criteria), 2) HeFH (see Other Criteria), 3) HoFH (see Other Criteria), or 4) Primary hyperlipidemia other than HeFH and HoFH (see Other Criteria) AND B) member had a reduction in LDL-C on PCSK9 inhibitor therapy.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Clinical ASCVD defined as acute coronary syndromes, myocardial infarction, stable or unstable angina, coronary or other arterial revascularization procedure, prior stroke or transient ischemic attack, or peripheral arterial disease of presumed atherosclerotic origin. Diagnosis of HeFH must be confirmed by one of the following: 1) DNA-based evidence of mutation in the LDLR, Apo B, OR PCSK9 gain of function mutation, 2) Untreated LDL-C greater than 190 mg/dl AND tendon xanthomas in patient or first/second degree relative, 3) Untreated LDL-C greater than 190 mg/dl AND either first degree relative less than 60 years of age or second degree relative less than 50 years of age with premature heart disease, OR 4) untreated LDL-C greater than 190 mg/dl AND first or second degree relative with total cholesterol greater than 290 mg/dL. Diagnosis of HoFH confirmed by all of the following: 1) two parents diagnosed with HeFH or genetic confirmation of LDL

Prior Authorization Criteria Last Updated 12/1/2022

receptor mutation, AND 2) untreated total cholesterol greater 290 mg/dL or LDL-C greater 190 mg/dL, AND 3) either xanthomas present at 10 years of age or younger or atherosclerotic disease at 20 years of age or younger. Diagnosis of primary hyperlipidemia (other than HeFH and HoFH) includes documentation provided of the diagnosis, which may include, but is not limited to the following conditions: a) Familial hyperchylomicronemia or Buerger-Gruetz Syndrome, b) Familial Combined Hyperlipidemia, c) Familial dysbetalipoproteinemia, d) Familial Triglyceridemia, OR e) Endogenous Hypertriglyceridemia.

- PEMAZYRE 13.5MG TAB (New Starts Only)
- PEMAZYRE 9MG TAB (New Starts Only)

- PEMAZYRE 4.5MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of FGFR2 fusion or other rearrangement.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- PIQRAY 200MG DAILY DOSE PACK (New Starts Only)

- PIQRAY 250MG DAILY DOSE PACK (New Starts Only)
- PIQRAY 300MG DAILY DOSE 150MG PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of PIK3CA-mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- → POMALYST 1MG CAP (New Starts Only)
- POMALYST 3MG CAP (New Starts Only)

- POMALYST 2MG CAP (New Starts Only)
- POMALYST 4MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-PREVYMIS 240MG TAB

-PREVYMIS 480MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member will/has initiated Prevymis within 30 days after an allogeneic hematopoietic stem cell transplant.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist, oncologist, transplant or infectious disease specialist.
Coverage Duration	Approved for 4 months.
Other Criteria	

- CRINONE 4% VAGINAL GEL

- CRINONE 8% VAGINAL GEL

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- PROLIA 60MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For osteoporosis: Trial of an oral bisphosphonate was not tolerated.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- PROMACTA 12.5MG POWDER FOR ORAL SUSP
- PROMACTA 25MG POWDER FOR ORAL SUSP
- -PROMACTA 50MG TAB

- PROMACTA 12.5MG TAB
- -PROMACTA 25MG TAB
- PROMACTA 75MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- PYRUKYND 20MG TAB (4-WEEK PACK)
- PYRUKYND 50MG TAB (4-WEEK PACK)
- PYRUKYND 5MG TAB TAPER PACK

- PYRUKYND 20MG/50MG TAB TAPER PACK
- PYRUKYND 5MG TAB (4-WEEK PACK)
- PYRUKYND 5MG/20MG TAB TAPER PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Diagnosis of pyruvate kinase deficiency confirmed by genetic testing (documentation is provided). For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist or a specialist in treating pyruvate kinase deficiency.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— QBRELIS 1MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member is unable to swallow solid dosage forms of lisinopril.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-QINLOCK 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-quinine sulfate 324mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	

- RAVICTI 1.1GM/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Requires trial of sodium phenylbutyrate powder.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a metabolic physician or medical geneticist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- REGRANEX 0.01% GEL

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- RETACRIT 10000UNIT/ML INJ
- RETACRIT 20000UNIT/ML INJ
- RETACRIT 3000UNIT/ML INJ
- RETACRIT 4000UNIT/ML INJ

- RETACRIT 20000UNIT/2ML INJ
- RETACRIT 2000UNIT/ML INJ
- RETACRIT 40000UNIT/ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- RETEVMO 40MG CAP (New Starts Only)

- RETEVMO 80MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of RET mutation or RET gene fusion.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- sildenafil 20mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- lenalidomide 10mg cap (New Starts Only)
- lenalidomide 2.5mg cap (New Starts Only)
- lenalidomide 25mg cap (New Starts Only)
- REVLIMID 10MG CAP (New Starts Only)
- REVLIMID 2.5MG CAP (New Starts Only)
- REVLIMID 25MG CAP (New Starts Only)

- lenalidomide 15mg cap (New Starts Only)
- lenalidomide 20mg cap (New Starts Only)
- lenalidomide 5mg cap (New Starts Only)
- REVLIMID 15MG CAP (New Starts Only)
- REVLIMID 20MG CAP (New Starts Only)
- REVLIMID 5MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- REXULTI 0.25MG TAB (New Starts Only)
- REXULTI 1MG TAB (New Starts Only)
- REXULTI 3MG TAB (New Starts Only)

- REXULTI 0.5MG TAB (New Starts Only)
- REXULTI 2MG TAB (New Starts Only)
- REXULTI 4MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For schizophrenia, member has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone. For Major Depressive Disorder: member has tried and failed, or was intolerant to aripiprazole.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- REYVOW 100MG TAB

- REYVOW 50MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trials of 2 different triptans were ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- REZUROCK 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist, hematologist, or transplant specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- RINVOQ 15MG ER TAB
- **−** RINVOQ 45MG ER TAB

- RINVOQ 30MG ER TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Psoriatic Arthritis: Failure of, or one of the following: a) Humira OR b) Enbrel. For Atopic Dermatitis (initial requests): Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Atopic Dermatitis (continuation requests): Prescriber attests to improvement in the member's condition with use of Rinvoq. For Ulcerative Colitis: Failure of, or intolerance to Humira. For ankylosing spondylitis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis or psoriatic arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For atopic dermatitis: Prescribed by, or in consultation with, an allergist, immunologist, or dermatologist. For ulcerative colitis: Prescribed by, or in consultation with a Gastroenterology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For atopic dermatitis (initial requests): Member has moderate to severe atopic dermatitis defined as: 1) One of the following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living.

- ROZLYTREK 100MG CAP (New Starts Only)

- ROZLYTREK 200MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided showing one of the following: a) ROS1 rearrangement OR b) NTRK gene fusion mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- RUBRACA 200MG TAB (New Starts Only)
- RUBRACA 300MG TAB (New Starts Only)

- RUBRACA 250MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- RYDAPT 25MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-vigabatrin 500mg powder for oral soln (New Starts Only)

-vigabatrin 500mg tab (New Starts Only)

-vigadrone 500mg powder for oral soln (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SECUADO 3.8MG/24HR PATCH (New Starts Only)
- SECUADO 7.6MG/24HR PATCH (New Starts Only)

- SECUADO 5.7MG/24HR PATCH (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SCEMBLIX 20MG TAB (New Starts Only)

- SCEMBLIX 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SIGNIFOR 0.3MG/ML INJ
- SIGNIFOR 0.9MG/ML INJ

- SIGNIFOR 0.6MG/ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SIMPONI 100MG/ML AUTO-INJECTOR
- SIMPONI 50MG/0.5ML AUTO-INJECTOR

- SIMPONI 100MG/ML SYRINGE
- SIMPONI 50MG/0.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Rheumatoid Arthritis (RA): Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Rinvoq OR d) Xeljanz. For Ankylosing Spondylitis (AS): Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Rinvoq, OR e) Xeljanz. For Psoriatic Arthritis: Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi, g) Rinvoq, OR h) Xeljanz. For Ulcerative Colitis: Intolerance to, or failure of, therapy with two of the following: a) Humira, b) Stelara, c) Rinvoq, OR d) Xeljanz.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis or Ankylosing Spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For ulcerative colitis: Prescribed by, or in consultation with, a gastroenterology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SIRTURO 100MG TAB

- SIRTURO 20MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SIVEXTRO 200MG INJ

- SIVEXTRO 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for 6 months.
Other Criteria	

- SKYRIZI 150MG DOSE PACK 75MG/0.83ML
- SKYRIZI 150MG/ML SYRINGE

- SKYRIZI 150MG/ML AUTO-INJECTOR
- SKYRIZI 360MG/2.4ML CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For plaque psoriasis: Failure of, or intolerance to, therapy with one of the following is required: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) soriatane. For Psoriatic Arthritis: Failure of, or intolerance to one of the following: a) methothrexate OR b) sulfasalazine. For Crohn's Disease: Failure of, or intolerance to, one of the following required: a) corticosteroid, b) azathioprine, c) methotrexate OR d) 6-mercaptopurine.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a dermatology specialist. For Psoriatic Arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For Crohn's Disease: Prescribed by, or in consultation with, a gastroenterology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-diclofenac sodium 3% gel

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— SOLIQUA PEN INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	One of the following: A) Member is unable to achieve an A1c of 7 or under after three (3) months of treatment with one of the following: i) a maximally dosed GLP-1 receptor agonist OR ii) basal insulin greater than or equal to thirty (30) units per day: OR B) member is currently using both basal insulin AND a GLP-1 receptor agonist.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SOLOSEC 2GM GRANULES

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For bacterial vaginosis: intolerance to, or failure of, therapy with 2 of the following: a) metronidazole, b) clindamycin OR c) tinidazole. For trichomonas vaginalis: intolerance to, or failure of, therapy with both of the following: a) metronidzazole AND b) tinidazole.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SOLTAMOX 10MG/5ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SOMAVERT 10MG INJ
- SOMAVERT 20MG INJ
- SOMAVERT 30MG INJ

- SOMAVERT 15MG INJ

- SOMAVERT 25MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SPRITAM 1000MG TAB FOR ORAL SUSP (New Starts Only)
- SPRITAM 500MG TAB FOR ORAL SUSP (New Starts Only)

- SPRITAM 250MG TAB FOR ORAL SUSP (New Starts Only)
- SPRITAM 750MG TAB FOR ORAL SUSP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of, or contraindication to, generic levetiracetam.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SPRYCEL 100MG TAB (New Starts Only)
- SPRYCEL 20MG TAB (New Starts Only)
- SPRYCEL 70MG TAB (New Starts Only)

- SPRYCEL 140MG TAB (New Starts Only)
- SPRYCEL 50MG TAB (New Starts Only)
- SPRYCEL 80MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- STELARA 45MG/0.5ML INJ
- STELARA 90MG/ML SYRINGE

- STELARA 45MG/0.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Plaque Psoriasis: Failure of, or intolerance to, therapy with one of the following required: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) soriatane. For Psoriatic Arthritis: Failure of, or intolerance to, one of the following required: a) methothrexate OR b) sulfasalazine. For Ulcerative Colitis and Crohn's Disease: Failure of, or intolerance to, one of the following required: a) corticosteroid, b) azathioprine, c) methotrexate OR d) 6-mercaptopurine.
Age Restrictions	
Prescriber Restriction	For Psoriatic Arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For Crohn's Disease and Ulcerative colitis: Prescribed by, or in consultation with, a gastroenterology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a dermatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- STIVARGA 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SUCRAID 8500UNIT/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SUNOSI 150MG TAB

- SUNOSI 75MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Failure of, or intolerance to, one of the following: a) modafinil OR b) armodafinil.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist, pulmonologist, or sleep medicine physician.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Documentation is provided of full nocturnal polysomnogram used to confirm diagnosis.

- sunitinib 12.5mg cap (New Starts Only)
- sunitinib 37.5mg cap (New Starts Only)

- sunitinib 25mg cap (New Starts Only)
- sunitinib 50mg cap (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SYMDEKO 50-75MG/75MG PACK

- SYMDEKO TAB 4-WEEK PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SYMPROIC 0.2MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SYNAREL 2MG/ML NASAL INHALER

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SYNRIBO 3.5MG INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-trientine 250mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TABRECTA 150MG TAB (New Starts Only)

- TABRECTA 200MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of MET exon 14 skipping mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TAFINLAR 50MG CAP (New Starts Only)

- TAFINLAR 75MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TAGRISSO 40MG TAB (New Starts Only)

- TAGRISSO 80MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— TALTZ 80MG/ML AUTO-INJECTOR

- TALTZ 80MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Plaque Psoriasis: Requires failure of, or intolerance to therapy with, one of the following: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) soriatane. For Ankylosing Spondylitis (AS): Requires failure of, or intolerance to sulfasalazine. (Trial of sulfasalazine not required for AS with predominant axial involvement). For Psoriatic Arthritis: Requires failure of, or intolerance to, one of the following: a) methotrexate OR b) sulfasalazine. For Non-radiographic axial spondyloarthritis: Intolerance or failure of therapy with two non-steroidal anti-inflammatory drugs (NSAIDs).
Age Restrictions	
Prescriber Restriction	For Psoriatic Arthritis, Non-radiographic axial spondyloarthritis and Ankylosing spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For Plaque Psoriasis: Prescribed by, or in cosultation with, a dermatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TALZENNA 0.25MG CAP (New Starts Only)
- TALZENNA 0.75MG CAP (New Starts Only)

- TALZENNA 0.5MG CAP (New Starts Only)
- TALZENNA 1MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- erlotinib 100mg tab (New Starts Only)
- erlotinib 25mg tab (New Starts Only)

- erlotinib 150mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- bexarotene 1% gel (New Starts Only)

-bexarotene 75mg cap (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TASIGNA 150MG CAP (New Starts Only)
- TASIGNA 50MG CAP (New Starts Only)

- TASIGNA 200MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— TAVALISSE 100MG TAB

— TAVALISSE 150MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— TAVNEOS 10MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member is positive for antibodies to one of the following: a) proteinase 3 OR b) myeloperoxidase.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatologist or nephrologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- tazarotene 0.1% cream

— TAZORAC 0.05% CREAM

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TAZVERIK 200MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

TEGSEDI 284MG/1.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	Member must be 18 years of age or older.
Prescriber Restriction	Prescribed by a neurologist, cardiologist, hematologist, or other specialist experienced in the diagnosis and treatment of hereditary transthyretin-mediated amyloidosis.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Hereditary transthyretin-mediated amyloidosis confirmed by genetic sequencing AND amyloidosis confirmed by positive tissue biopsy or laser capture tandem mass spectrometry.

— TEPMETKO 225MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of MET exon 14 skipping mutation.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ANDRODERM 2MG/24HR PATCH
- testosterone 1% (12.5mg/act) gel pump
- testosterone 1% (50mg) gel packet
- -testosterone 1.62% (2.5gm) gel packet
- testosterone 30mg/act topical soln

- ANDRODERM 4MG/24HR PATCH
- -testosterone 1% (25mg) gel packet
- testosterone 1.62% (1.25gm) gel packet
- testosterone 1.62% (20.25mg/act) gel pump

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) For new patients: documentation is provided of morning testosterone levels, from two separate days, that fall below the normal range for a healthy adult male. B) For patients already on testosterone replacement therapy: documentation is provided of at least one morning testosterone level from the last 12 months, showing improvement, is required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— tetrabenazine 12.5mg tab

— tetrabenazine 25mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- THALOMID 100MG CAP (New Starts Only)
- THALOMID 200MG CAP (New Starts Only)

- THALOMID 150MG CAP (New Starts Only)
- THALOMID 50MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or infectious disease specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— TIBSOVO 250MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of IDH1 mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

—tobramycin 60mg/ml inh soln

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease physician or pulmonology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Approval will be based off BvD coverage determination.

-bosentan 125mg tab

-bosentan 62.5mg tab

-TRACLEER 32MG TAB FOR ORAL SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

TREMFYA 100MG/ML AUTO-INJECTOR

- TREMFYA 100MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For plaque psoriasis: Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Skyrizi, e) Stelara OR f) Otezla. For Psoriatic Arthritis: Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara e) Otezla OR f) Xeljanz
Age Restrictions	
Prescriber Restriction	For Psoriatic Arthritis: Prescribed by, or in consultation, with a rheumatology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a dermatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— TRIKAFTA 100-50-75MG/150MG PACK

- TRIKAFTA 50-37.5-25MG/75MG TAB PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TRUSELTIQ 100MG DAILY DOSE CARTON (21) (New Starts Only)
- TRUSELTIQ 125MG DAILY DOSE CARTON (42) (New Starts Only)
- TRUSELTIQ 50MG DAILY DOSE CARTON (42) (New Starts Only)
- TRUSELTIQ 75MG DAILY DOSE CARTON (63) (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of FGFR2 fusion or other rearrangement.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TUKYSA 150MG TAB (New Starts Only)

- TUKYSA 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TURALIO 200MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- lapatinib 250mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TYVASO 16-32-48MCG TITRATION PACK
- TYVASO 16MCG INH POWDER
- TYVASO 32MCG INH POWDER
- TYVASO 64MCG INH POWDER

- TYVASO 16-32MCG TITRATION PACK
- TYVASO 32-48MCG MAINTENANCE PACK
- TYVASO 48MCG INH POWDER

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For all indications: Diagnosis of pulmonary arterial hypertension confirmed by right heart catheterization. For pulmonary arterial hypertension associated with interstitial lung disease (ILD): Interstitial lung disease confirmed by high-resolution computed tomography (HRCT).
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- UBRELVY 100MG TAB

- UBRELVY 50MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trials of 2 different triptans were ineffective or not tolerated.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

– budesonide 9mg er tab

- UCERIS 2MG/ACT RECTAL FOAM

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure, or intolerance to mesalamine.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- UPTRAVI 1000MCG TAB
- **-** UPTRAVI 1400MCG TAB
- **-** UPTRAVI 200MCG TAB
- **-** UPTRAVI 600MCG TAB
- UPTRAVI TITRATION PACK

- UPTRAVI 1200MCG TAB
- UPTRAVI 1600MCG TAB
- UPTRAVI 400MCG TAB
- UPTRAVI 800MCG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VALCHLOR 0.016% GEL (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has received prior skin-directed therapy such as topical steroids.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VELTASSA 16.8GM POWDER FOR ORAL SUSP
- VELTASSA 8.4GM POWDER FOR ORAL SUSP

- VELTASSA 25.2GM POWDER FOR ORAL SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Member has baseline persistent potassium level greater than 5.0 mmol/L.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a nephrologist, cardiologist, or endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VENCLEXTA 100MG TAB (New Starts Only)
- VENCLEXTA 50MG TAB (New Starts Only)

- VENCLEXTA 10MG TAB (New Starts Only)
- VENCLEXTA STARTING PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VENTAVIS 10MCG/ML INH SOLN

- VENTAVIS 20MCG/ML INH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist or cardiologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Approval will be based off BvD coverage determination.

- VERQUVO 10MG TAB
- **−** VERQUVO 5MG TAB

- VERQUVO 2.5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a cardiology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VERZENIO 100MG TAB (New Starts Only)
- VERZENIO 200MG TAB (New Starts Only)

- VERZENIO 150MG TAB (New Starts Only)
- VERZENIO 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VIJOICE 125MG 28 DAY PACK
- VIJOICE 50MG 28 DAY PACK

-VIJOICE 250MG 28 DAY PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of mutation in the PIK3CA gene. For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VITRAKVI 100MG CAP (New Starts Only)
- VITRAKVI 25MG CAP (New Starts Only)

- VITRAKVI 20MG/ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of NTRK gene fusion mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VIZIMPRO 15MG TAB (New Starts Only)
- VIZIMPRO 45MG TAB (New Starts Only)

- VIZIMPRO 30MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VONJO 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -voriconazole 200mg inj
- —voriconazole 40mg/ml susp

- -voriconazole 200mg tab
- -voriconazole 50mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease physician or oncologist.
Coverage Duration	Approved for 6 months.
Other Criteria	

— VOSEVI 400-100-100MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) Patient is diagnosed with chronic HCV (greater than 6 months) with genotype indicated 2) Current HCV-RNA titer is provided 3) Documentation is provided that member does or does not have cirrhosis 4) Previous Hepatitis C Treatment(s) is provided.
Age Restrictions	Member must be 18 years of age or older.
Prescriber Restriction	Prescribed by, or in consultation with, a gastroenterologist, hepatologist, infectious disease specialist or transplant specialist.
Coverage Duration	Coverage duration of 12 weeks.
Other Criteria	Treatment regimen will be approved based on genotype and previous treatment experience as defined by current AASLD guidelines.

— VOTRIENT 200MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- **−** VOXZOGO 0.4MG INJ
- − VOXZOGO 1.2MG INJ

- VOXZOGO 0.56MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: 1) Documentation is provided of the fibroblast growth factor receptor 3 (FGFR3) gene mutation AND 2) Member has open epiphyses. For continuation requests: 1) Epiphyses remain open AND 2) Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a provider specialized in the treatment of achondroplasia.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VRAYLAR 1.5/3MG MIXED PACK (New Starts Only)
- VRAYLAR 3MG CAP (New Starts Only)
- VRAYLAR 6MG CAP (New Starts Only)

- VRAYLAR 1.5MG CAP (New Starts Only)
- VRAYLAR 4.5MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-VYNDAMAX 61MG CAP

- VYNDAQEL 20MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Diagnosis confirmed by one of the following: i) cardiac biopsy with positive congo red staining and ATTR confirmation by mass spectrometry or immunofluorescence staining ii) Myocardial uptake of Tc-PYP demonstrated by a greater than 1.5 heart-to-contralateral ratio or grade 2 or greater visual evidence B) Absence of light-chain or other forms of amyloidosis confirmed by all of the following: i) Serum kappa/lambda free light chain ratio 0.26 to 1.65 ii) Absence of monoclonal protein via serum protein immunofixation iii) Absence of monoclonal protein via urine protein immunofixation.
Age Restrictions	Member must be 18 years of age or older.
Prescriber Restriction	Prescribed by, or in consultation with, a cardiologist or other provider experienced in the treatment of cardiomyopathy of transthyretin-mediated amyloidosis.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— WAKIX 17.8MG TAB

– WAKIX 4.45MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For excessive daytime sleepiness with narcolepsy: failure of, or intolerance to, both of the following: a) Sunosi AND b) either modafinil or armodafinil. For cataplexy, trial of other agents not required.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist, pulmonologist, or sleep medicine physician.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For narcolepsy: Documentation is provided of full nocturnal polysomnogram used to confirm diagnosis. For cataplexy: Documentation is provided of one of the following to confirm diagnosis: a) full nocturnal polysomnogram OR b) low cerebrospinal fluid orexin-A concentration.

- WELIREG 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XALKORI 200MG CAP (New Starts Only)

- XALKORI 250MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive or ROS1-positive disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XATMEP 2.5MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For polyarticular juvenile idiopathic arthritis: patient must have trial of, or inability to use, oral methotrexate tablet. For acute lymphoblastic leukemia: trial of oral methotrexate tablet is not required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XELJANZ 10MG TAB
- XELJANZ 1MG/ML ORAL SOLN
- XELJANZ 5MG TAB

- XELJANZ 11MG ER TAB
- -XELJANZ 22MG ER TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Juvenile Idiopathic Arthritis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Psoriatic Arthritis: Failure of, or one of the following: a) Humira OR b) Enbrel. For ankylosing spondylitis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Ulcerative Colitis: Failure of, or intolerance to Humira.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Juvenile idiopathic arthritis, ankylosing spondylitis, or Psoriatic Arthritis: Prescribed by, or in consultation with a Rheumatology Specialist. For Ulcerative Colitis: Prescribed by, or in consultation with a Gastroenterology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XENLETA 600MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist.
Coverage Duration	Approved for 1 month.
Other Criteria	

- XERMELO 250MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist, endocrinologist, or gastroenterologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Patient is currently taking somatostatin analog therpy and still experiencing symptoms.

- XGEVA 120MG/1.7ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XIFAXAN 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-XIFAXAN 550MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	For diagnosis of IBS-D, approval will increase quantity limit to 42 tablets over 14 days, maximum of three fills per contract
	year.

- -XOLAIR 150MG INJ
- XOLAIR 75MG/0.5ML SYRINGE

- XOLAIR 150MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: For moderate to severe persistent asthma: There must be: A) Objective evidence of reversible airway obstruction B) Member must have a positive skin test or RAST test for specific allergic sensitivity C) One of the following: i) Inadequately controlled asthma despite medium dose of inhaled corticosteroids for at least 3 months in combination with a trial of long-acting inhaled beta-agonists or a leukotriene modifier OR ii) systemic steroids or high dose inhaled corticosteroids are required to maintain adequate asthma control. For chronic idiopathic urticaria: one of the following: a) patient remains symptomatic despite H1 antihistamine treatment OR b) has intolerance or contraindication to H1 antihistamine treatment. For nasal polyps: A) Confirmed diagnosis of nasal polyps (see other criteria) AND B) Trial of Dupixent was ineffective, not tolerated, or contraindicated. For continuation requests (all diagnoses): Documentation is provided of positive clinical response.
Age Restrictions	If for moderate to severe persistent asthma, patient must be at least 6 years old. If for chronic idiopathic urticaria, patient must be at least 12 years old. If for nasal polyps, patient must be at least 18 years old.
Prescriber Restriction	Prescribed by, or in consultation with, an allergist, pulmonologist, dermatologist, ENT specialist, or immunologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For nasal polyps (initial requests): Diagnosis is confirmed with a sinus CT scan AND at least four of the following apply: a) prior surgery for bilateral nasal polyposis b) evidence of type 2 inflammation c) two or more courses of oral corticosteroids required in the prior year d) significantly impaired quality of life e) significant loss of smell f) diagnosis of comorbid asthma

- XOSPATA 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of FLT3 mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XPOVIO 100MG ONCE WEEKLY CARTON (8-PACK) (New Starts Onl
- XPOVIO 40MG TWICE WEEKLY CARTON (8-PACK) (New Starts Only
- XPOVIO 60MG TWICE WEEKLY PACK (New Starts Only)
- XPOVIO 80MG ONCE WEEKLY CARTON (8-PACK) (New Starts Only
- XPOVIO 40MG ONCE WEEKLY CARTON (4-PACK) (New Starts Only)
- XPOVIO 60MG ONCE WEEKLY CARTON (4-PACK) (New Starts Only
- XPOVIO 80 MG TWICE WEEKLY (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -XTANDI 40MG CAP (New Starts Only)
- -XTANDI 80MG TAB (New Starts Only)

- XTANDI 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For metastatic castration-resistant prostate cancer (mCRPC) and metastatic castration-sensitive prostate cancer (mCSPC): failure of, intolerance or contraindication to, abiraterone (Zytiga equivalent) required. For nonmetastatic castration-resistant prostate cancer (nmCRPC): failure of, or intolerance to, both of the following: a) Nubeqa and b) Erleada.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or urologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XULTOPHY 100UNIT-3.6MG/ML PEN INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	One of the following: A) Member is unable to achieve an A1c of 7 or under after three (3) months of treatment with one of the following: i) a maximally dosed GLP-1 receptor agonist OR ii) basal insulin greater than or equal to thirty (30) units per day: OR B) member is currently using both basal insulin AND a GLP-1 receptor agonist.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- XYREM 500MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For excessive daytime sleepiness with narcolepsy in adults: failure of, or intolerance to, both of the following: a) Sunosi AND b) either modafinil or armodafinil. For cataplexy and patients aged 7 to 17 years: trial of other agents not required.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist, pulmonologist, or sleep medicine physician.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For narcolepsy: Documentation is provided of full nocturnal polysomnogram used to confirm diagnosis. For cataplexy: Documentation is provided of one of the following to confirm diagnosis: a) full nocturnal polysomnogram OR b) low cerebrospinal fluid orexin-A concentration.

-miglustat 100mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a medical geneticist, hematologist, or metabolic physician.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ZEJULA 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

— ZELBORAF 240MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600 mutation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- −ZEPOSIA 0.92MG CAP
- ZEPOSIA STARTER KIT PACK

- ZEPOSIA 7-DAY STARTER PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Ulcerative Colitis: Intolerance to, or failure of, therapy with two of the following: a) Humira, b) Stelara, c) Rinvoq OR d) Xeljanz.
Age Restrictions	
Prescriber Restriction	For multiple sclerosis: Prescribed by, or in consultation with, a neurology specialist. For ulcerative colitis: Prescribed by, or in consultation with, a gastroenterology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ZOLINZA 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ZONTIVITY 2.08MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a cardiology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ZYDELIG 100MG TAB (New Starts Only)

-ZYDELIG 150MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist or hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ZYKADIA 150MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an oncologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	