- adapalene 0.1% crean	n — adapalene 0.3% gel
- adapalene/benzoyl per	roxide 0.1-2.5% gel — avita 0.025% cream
- avita 0.025% gel	- tretinoin 0.01% gel
- tretinoin 0.025% creat	m — tretinoin 0.025% gel
– tretinoin 0.04% gel	- tretinoin 0.05% cream
<i>— tretinoin 0.05% gel</i>	— tretinoin 0.1% cream
– tretinoin 0.1% gel	
PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pending

-ACTEMRA 162MG/0.9ML AUTO-INJECTOR

- ACTEMRA 162MG/0.9ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	 A) For rheumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Enbrel, b) Humira, c) Rinvoq OR d) Xeljanz. B) For polyarticular juvenile idiopathic arthritis: Intolerance to, or failure of therapy with 2 of the following: a) Humira, b) Enbrel OR c) Xeljanz. C) For Giant Cell Arteritis: trial and failure of corticosteroids required. D) For systemic sclerosis-associated interstitial lung disease: a) Diagnosis is confirmed with documentation provided of both of the following: i) HRCT scan AND ii) pulmonary function tests AND b) Member has trial and failed mycophenolate. E) For systemic juvenile idiopathic arthritis: Trial of other agents not required.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, polyarticular juvenile idiopathic arthritis, systemic juvenile idiopathic arthritis, and giant cell arteritis: Prescribed by, or in consultation with, a rheumatology specialist. For systeic sclerosis-associated interstitial lung disease: Prescribed by, or in consultation with, a pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

Pendino

- ACTIMMUNE 2000000UNIT/0.5ML INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	NY '

- ADBRY 150MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Atopic Dermatitis (initial requests): Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Atopic Dermatitis (continuation requests): Prescriber attests to improvement in the member's condition with use of the medication. For atopic dermatitis (all requests): Will not be used in combination with other targeted immunomodulators.
Age Restrictions	
Prescriber Restriction	For atopic dermatitis: Prescribed by, or in consultation with, an allergist, immunologist, or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For atopic dermatitis (initial requests): Member has moderate to severe atopic dermatitis defined as: 1) One of the following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living.

.ven. .ck, hands, _o) cracking and t

- alyq 20mg tab

- tadalafil 20mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ADEMPAS 0.5MG TAB
- ADEMPAS 1MG TAB
- ADEMPAS 2MG TAB

- ADEMPAS 1.5MG TAB - ADEMPAS 2.5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Diagnosis confirmed by right heart catheterization. B) For pulmonary arterial hypertension: Intolerance to, or failure of, therapy with both of the following: one ERA (ambrisentan, bosentan or macitentan (Opsumit)) AND one PDE5-inhibitor (sildenafil or tadalafil). C) For persistent/recurrent chronic thromboembolic pulmonary hypertension (CTEPH) (WHO Group 4), no prior therapy required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	oending

- everolimus 10mg tab (New Starts Only)
- everolimus 2mg tab for oral susp (New Starts Only)
- everolimus 5mg tab (New Starts Only)
- -everolimus 7.5mg tab (New Starts Only)

- everolimus 2.5mg tab (New Starts Only)
- everolimus 3mg tab for oral susp (New Starts Only)
- everolimus 5mg tab for oral susp (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- AIMOVIG 140MG/ML AUTO-INJECTOR

- AIMOVIG 70MG/ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Both of the following: A) Member has 4 or more migraine days per month for the previous 3 months or longer AND B) Member has tried and failed an 8-week or greater trial of 2 of the 3 following drug classes: a) anticonvulsants, b) vasoactive agents, OR c) antidepressants. For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ALECENSA 150MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-nitazoxanide 500mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For diarrhea due to giardiasis: trial of metronidazole or tinidizole is required. For diarrhea due to cryptosporidiosis, trial of metronidazole or tinidizole NOT required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-ARALAST 1000MG INJ

-PROLASTIN 1000MG INJ

- GLASSIA 1000MG/50ML INJ

-ZEMAIRA 1000MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	IgA deficiency with known anti-IgA antibody.
Required Medical Info	Diagnosis of congenital alpha1-antitrypsin deficiency is confirmed by both of the following: a) circulating baseline alpha1-antitrysin level is below the standard protective threshold (less than 11 micromol/L OR less than 50 mg per deciliter by nephelometry) AND b) high risk alpha1-antitrypsin deficiency genotype (SS, SZ, ZZ, or null/null)
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a pulmonologist
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ALUNBRIG 180MG TAB (New Starts Only)
- ALUNBRIG 90MG TAB (New Starts Only)

ALUNBRIG 30MG TAB (New Starts Only)ALUNBRIG INITIATION PACK (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Documentation is provided of ALK-positive disease.
Approved for duration of contract year.
Pendino

- APTIOM 200MG TAB (New Starts Only)

- APTIOM 600MG TAB (New Starts Only)

APTIOM 400MG TAB (New Starts Only)APTIOM 800MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ARCALYST 220MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- ARIKAYCE 590MG/8.4ML INH SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failed to achieve negative sputum cultures after at least 6 months of multidrug regimen therapy for MAC lung disease.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an infectious disease specialist or pulmonologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- AURYXIA 210MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	Treatment of iron deficiency anemia
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- AUSTEDO 12MG TAB

- AUSTEDO 9MG TAB

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaExclusion CriteriaRequired Medical InfoA) For tardive dyskinesia: i) Member has failed to respond to a change, or is unable to switch current antidopaminergic
therapy. B) For chorea associated with Huntington's disease: Member has intolerance to, or failure of therapy with,
tetrabenazine.Age RestrictionsPrescriber RestrictionPrescriber RestrictionPrescribed by, or in consultation with, a neurologist or psychiatristCoverage DurationApproved for duration of contract year.Other CriteriaCoverage Duration

-AUSTEDO 6MG TAB

Pendino

- -AYVAKIT 100MG TAB (New Starts Only)
- AYVAKIT 25MG TAB (New Starts Only)
- -AYVAKIT 50MG TAB (New Starts Only)

AYVAKIT 200MG TAB (New Starts Only) AYVAKIT 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For unresectable or metastatic gastrointestinal stromal tumor: Documentation is provided of PDGFRA exon 18 mutation.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-BALVERSA 3MG TAB (New Starts Only)

-BALVERSA 4MG TAB (New Starts Only)

-BALVERSA 5MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of susceptible FGFR2 or FGFR3 genetic alteration.
Age Restrictions	
Prescriber Restriction	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- rufinamide 200mg tab (New Starts Only)

- rufinamide 400mg tab (New Starts Only)

-rufinamide 40mg/ml susp (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least one anti-epileptic medication was ineffective or not tolerated
Age Restrictions	
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	CN

- BAXDELA 450MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for 6 months.
Other Criteria	
	CN,
	ding
	$\sim 0^{1}$

- BENLYSTA 200MG/ML AUTO-INJECTOR

- BENLYSTA 200MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	Member has severe active CNS lupus OR member is taking other biologics.
Required Medical Info	For systemic lupus erythematosus initial requests: A) Member is required to be taking a concurrent corticosteroid unless contraindicated AND B) Trial and failure of one of the following: a) hydroxychloroquine, b) methotrexate, c) azathioprine OR d) mycophenolate. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatologist, nephrologist, or dermatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with voclosporin (Lupkynis). For lupus erythematosus initial therapy: Diagnosis of active systemic lupus erythematosus is confirmed by one of the following: A) anti-double stranded DNA value greater than 30 IU/mL OR B) low complement (C3/C4) OR C) positive for anti-Smith antibodies. For lupus erythematosus continuation therapy: lab values not required. For active lupus nephritis: Lab values not required.

_3/C4) G. _d. For active tu,

- BENZNIDAZOLE 100MG TAB

- BENZNIDAZOLE 12.5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for 3 months.
Other Criteria	
	Pendino

- BESREMI 500MCG/ML SYRINGE (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failed, is intolerant, or has a contraindication to one of the following: A) hydroxyurea OR B) peginterferon alfa-2a.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-BOSULIF 100MG TAB (New Starts Only)

-BOSULIF 400MG TAB (New Starts Only)

-BOSULIF 500MG TAB (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Approved for duration of contract year.
pendino

-BRAFTOVI 75MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- -BRIVIACT 100MG TAB (New Starts Only)
- BRIVIACT 10MG/ML ORAL SOLN (New Starts Only)
- -BRIVIACT 50MG TAB (New Starts Only)

- BRIVIACT 10MG TAB (New Starts Only) - BRIVIACT 25MG TAB (New Starts Only) - BRIVIACT 75MG TAB (New Starts Only)
- -BRIVIACT 75MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	oendino,

- BRUKINSA 80MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-BYLVAY 1200MCG CAP

-BYLVAY 400MCG CAP

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria Required Medical Info For initial requests: a) Diagnosis of progressive familial intrahepatic cholestasis confirmed by genetic testing (documentation is provided) AND b) Genetic testing does not indicate presence of ABCB11 variants that result in non-functional or complete absence of the BSEP-3 protein. For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication. Age Restrictions Prescribed by, or in consultation with, a hepatologist, gastroenterologist, or provider that specializes in progressive familial Prescriber Restriction intrahepatic cholestasis. **Coverage Duration** Approved for duration of contract year. Other Criteria Pendinc

- BYLVAY 200MCG ORAL PELLET

- CABLIVI 11MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Member has received or will receive the first dose of caplacizumab while undergoing plasma exchange for acquired thrombotic thrombocytopenic purpura. B) Prescriber attests that patient will be monitored and therapy continued beyond 30 days post-plasma exchange only if ADAMTS23 levels remain less than 10%.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for 4 months.
Other Criteria	
	Pendino

- CABOMETYX 20MG TAB (New Starts Only)

- CABOMETYX 40MG TAB (New Starts Only)

- CABOMETYX 60MG TAB (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Approved for duration of contract year.

- calcipotriene 0.005% cream

- calcipotriene 0.005% topical soln

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaRequired Medical InfoRequired Medical InfoAge RestrictionsPrescriber RestrictionPrescriber RestrictionCoverage DurationApproved for duration of contract year.Other CriteriaImage: Coverage Duration

— calcipotriene 0.005% ointment

Pendino

- CALQUENCE 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- CAPLYTA 42MG CAP (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CAPRELSA 100MG TAB (New Starts Only)

- CAPRELSA 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- carglumic acid 200mg tab for oral susp

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- CAYSTON 75MG INH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- CERDELGA 84MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- CHOLBAM 250MG CAP

- CHOLBAM 50MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Initial will be 3 months, then if criteria is met approved for the rest of the plan year.
Other Criteria	Renewal requires documentation is provided of stable or improved liver function.
	Pending

- CIBINQO 100MG TAB

- CIBINQO 50MG TAB

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria For Atopic Dermatitis (initial requests): Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very Required Medical Info high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Atopic Dermatitis (continuation requests): Prescriber attests to improvement in the member's condition with use of the medication. For atopic dermatitis (all requests): Will not be used in combination with other targeted immunomodulators. Age Restrictions For atopic dermatitis: Prescribed by, or in consultation with, an allergist, immunologist, or dermatologist. Prescriber Restriction **Coverage Duration** Approved for duration of contract year. For atopic dermatitis (initial requests): Member has moderate to severe atopic dermatitis defined as: 1) One of the Other Criteria following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living.

-CIBINQO 200MG TAB

<u>s), b) .</u>

- CIMZIA 200MG INJ

- CIMZIA 200MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Rheumatoid Arthritis (RA): Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel c) Rinvoq OR d) Xeljanz. For Ankylosing Spondylitis (AS): Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz d) Rinvoq OR e) Xeljanz. For Psoriatic Arthritis: Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi, g) Trenfya, h) Rinvoq OR i) Xeljanz. For Plaque Psoriasis: Intolerance to or failure of therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi, g) Trenfya, h) Enbrel, c) Taltz, d) Skyrizi, e) Stelara, f) Tremfya OR f) Otezla. For Crohn's Disease: Intolerance to or failure of therapy with both of the following: a) Humira AND b) Stelara. For Non-radiographic axial spondyloarthritis: Intolerance or failure of therapy with two non-steroidal anti-inflammatory drugs (NSAIDs).
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis, Non-radiographic axial spondyloarthritis or Ankylosing Spondylitis: Prescribed by, or in consultation, with a rheumatology specialist. For Crohn's Disease: Prescribed by, or in consultation with, a gastroenterology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a dermatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendina

- COMETRIQ CAP 100MG DAILY DOSE PACK (New Starts Only)

- COMETRIQ CAP 60MG DAILY DOSE PACK (New Starts Only)

- COMETRIQ CAP 140MG DAILY DOSE PACK (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Approved for duration of contract year.
Pendino

- COPIKTRA 15MG CAP (New Starts Only)

- COPIKTRA 25MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	N'
	Pendimo

- CORLANOR 5MG TAB

-CORLANOR 7.5MG TAB

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaExclusion CriteriaRequired Medical InfoFor adults (18 years and older), one of the following: A) Member is on a maximally tolerated dose of beta blocker OR B)
Member has a history of intolerance, contraindication, or a hypersensitivity to beta blocker.Age RestrictionsPrescriber RestrictionPrescriber RestrictionPrescribed by, or in consultation with, a cardiology specialist.Coverage DurationApproved for duration of contract year.Other CriteriaImage: Coverage Duration of Contract year.

- CORLANOR 5MG/5ML ORAL SOLN

Pendino

- COTELLIC 20MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- CYSTADROPS 0.37% OPHTH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	NY '
	Pendino

- CYSTARAN 0.44% OPHTH SOLN

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- DAURISMO 100MG TAB (New Starts Only)

- DAURISMO 25MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- DIACOMIT 250MG CAP (New Starts Only)

-DIACOMIT 500MG CAP (New Starts Only)

DIACOMIT 250MG POWDER FOR ORAL SUSP (New Starts Only) DIACOMIT 500MG POWDER FOR ORAL SUSP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least 1 anti-epileptic medication was ineffective or not tolerated
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- DIFICID 200MG TAB

- DIFICID 40MG/ML SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of, intolerance, or contraindication to oral vancomycin.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	
	Pendino

- DOPTELET 20MG TAB

- DOPTELET TAB 40MG DAILY DOSE PACK

- DOPTELET TAB 60MG DAILY DOSE PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For thrombocytopenia with chronic liver disease and scheduled to undergo a procedure: Member has a platelet count from the prior two weeks that shows less than 50,000 platelets per microliter. For chronic immune thrombocytopenia initial requests: Both of the following: A) Relapsed or refractory to at least one prior treatment for chronic immune thrombocytopenia B) Platelet count less than 30,000 microliters. For chronic immune thrombocytopenia continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	For chronic immune thrombocytopenia: Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pending

- DAYVIGO 10MG TAB

- DAYVIGO 5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure of two of the following: a) eszopiclone, b) ramelteon, c) zalepton, or d) zolpidem.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-dronabinol 10mg cap

- dronabinol 5mg cap

 PA Criteria
 Criteria Details

 Covered Uses
 All FDA-approved indications not otherwise excluded from Part D.

 Exclusion Criteria
 Required Medical Info

 Required Medical Info
 Other Criteria

 Prescriber Restriction
 Prescriber Restriction

 Coverage Duration
 Approved for duration of contract year.

 Other Criteria
 This drug may be covered under Medicare Part B or D depending upon the circumstances. Information may need to be submitted describing the use and setting of the drug to make the determination.

Pendino

-dronabinol 2.5mg cap

- DUPIXENT 100MG/0.67ML SYRINGE
- DUPIXENT 200MG/1.14ML SYRINGE
- DUPIXENT 300MG/2ML SYRINGE

DUPIXENT 200MG/1.14ML AUTO-INJECTORDUPIXENT 300MG/2ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: For Atopic Dermatitis: Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Asthma: Prescriber attests that member has a history, within the last year, of at least 1 asthma exacerbation requiring one of the following: a) treatment with systemic corticosteroids, b) emergency department visit OR c) hospitalization. For nasal polyps: Intolerance to, or failure of therapy of both of the following: a) an oral corticosteroid AND b) a nasal corticosteroid. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of the medication. For all indications: Will not be used in combination with other targeted immunomodulators.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an allergist, immunologist, pulmonologist, dermatologist or ENT specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For initial requests: For atopic dermatitis: Member has moderate to severe atopic dermatitis defined as: 1) One of the following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) eracking and oozing/bleeding of skin OR c) impaired activities of daily living. For asthma: Member has one of the following: 1) moderate to severe asthma with an eosinophilic phenotype (baseline blood eosinophil concentration is provided and is greater than or equal to 150 cells/mL) OR 2) member has oral corticosteroid-dependent asthma. For nasal polyps, both of the following: A) Bilateral nasal polyposis confirmed with sinus CT scan AND B) Prescriber attests to moderate to severe symptoms of nasal congestion, blockage, or obstruction (such as loss of smell, rhinorrhea, or facial pain).

- EMGALITY 100MG/ML SYRINGE

- EMGALITY 120MG/ML AUTO-INJECTOR

- EMGALITY 120MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For migraine initial requests: Both of the following: A) Member has 4 or more migraine days per month for the previous 3 months or longer AND B) Member has tried and failed an 8-week or greater trial of 2 of the 3 following drug classes: a) anticonvulsants, b) vasoactive agents, OR c) antidepressants. For episodic cluster headache prophylaxis initial requests: Member has tried and failed verapamil. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ENBREL 25MG INJ
- ENBREL 25MG/0.5ML SYRINGE
- ENBREL 50MG/ML CARTRIDGE

- ENBREL 25MG/0.5ML INJ
- ENBREL 50MG/ML AUTO-INJECTOR

- ENBREL 50MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 20mg/week required (or maximally tolerated dose). For Juvenile Idiopathic Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 15 mg/week required (or maximally tolerated dose). For Plaque Psoriasis: Failure of, or intolerance to therapy with one of the following: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) acitretin. For Ankylosing Spondylitis (AS): Failure of, or intolerance to sulfasalazine (Trial of sulfasalazine not required for AS with predominant axial involvement). For Psoriatic Arthritis: Failure of, or intolerance to one of the following: a) methotrexate OR b) sulfasalazine.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis, Juvenile Idiopathic Arthritis or Ankylosing Spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For plaque psoriasis: Prescribed by, or in consultation with, a Dermatology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Peridi

- ENDARI 5GM POWDER FOR ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Criteria 1 and 2 must be met or criteria 3 must be met: 1. Trial of maximally tolerated hydroxyurea dose was ineffective, not tolerated or contraindicated. 2. Member has had at least 1 vaso-occlusive crises in the prior 12 months, while on hydroxyurea (if applicable). 3. Prescriber is a hematologist at a Sickle Cell Center of Excellence (Documentation is provided of the name of the center of excellence). For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ENSPRYNG 120MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of a positive test for anti-aquaporin-4 antibodies.
Age Restrictions	O ₂
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist, ophthalmologist, or neuro-ophthalmologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with eculizumab (Soliris) or inebilizumab (Uplinza).
	Pending

- SOFOSBUVIR/VELPATASVIR 400-100MG TAB

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
1) Current HCV-RNA titer is provided 2) No prior treatment with a direct-acting antiviral for hepatitis C. 3) One of the following: a) Member does not have cirrhosis OR b) Member has compensated cirrhosis AND one of the following: i) Does not have genotype 3 OR ii) has genotype 3 but no NS5A resistance-associated substitution Y93H. OR c) Member has decompensated cirrhosis AND will receive weight-based ribavirin
Prescribed by, or in consultation with, a gastroenterologist, hepatologist, infectious disease or transplant specialist.
Coverage duration of 12 weeks.
Pendino

- EPIDIOLEX 100MG/ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least 1 anti-epileptic medication was ineffective or not tolerated.
Age Restrictions	O ₂
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ERIVEDGE 150MG CAP (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O a
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ERLEADA 60MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For metastatic castration-sensitive prostate cancer (mCSPC): failure of or intolerance to abiraterone (Zytiga equivalent) required. For nonmetastatic castration-resistant prostate cancer (nmCRPC): no prior agent trial required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ESBRIET 267MG CAP

— pirfenidone 801mg tab

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria For idiopathic pulmonary fibrosis initial requests: Diagnosis confirmed by one of the following: 1) Surgical lung biopsy Required Medical Info revealing histopathological pattern of unspecified interstitial pneumonia (UIP) 2) High-resolution computed tomography indicates definite UIP pattern 3) Both High-resolution computed tomography indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP. For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication. Age Restrictions Prescriber Restriction **Coverage Duration** Approved for duration of contract year. Other Criteria Pendino

— pirfenidone 267mg tab

- EVRYSDI 0.75MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of a genetic test confirming diagnosis of spinal muscular atrophy.
Age Restrictions	O ₂
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with nusinersen (Spinraza).
	Pendino

- EXKIVITY 40MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of EGFR exon 20 insertion mutation.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- FANAPT 10MG TAB (New Starts Only)
- FANAPT 1MG TAB (New Starts Only)
- FANAPT 4MG TAB (New Starts Only)
- FANAPT 8MG TAB (New Starts Only)

- FANAPT 12MG TAB (New Starts Only)
- FANAPT 2MG TAB (New Starts Only)
- FANAPT 6MG TAB (New Starts Only)
- FANAPT TITRATION PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- FASENRA 30MG/ML AUTO-INJECTOR

- FASENRA 30MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: A) Peripheral blood eosinophil count is provided and greater than or equal to 150 cells per microliter. B) History of one (1) or more exacerbations in the previous year despite regular use of high-dose inhaled corticosteroids plus an additional controller(s). An exception is made for patients with intolerance or contraindication to high-dose inhaled corticosteroids and additional controller(s). For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an allergy specialist, immunologist, or pulmonary specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- deferiprone 1000mg tab

- FERRIPROX 1000MG TAB

*deferiprone 500mg tab*FERRIPROX 100MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- FINTEPLA 2.2MG/ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of at least 1 anti-epileptic medication was ineffective or not tolerated.
Age Restrictions	O ₂
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- FIRDAPSE 10MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	Prescribed by a neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Diagnosis of Lambert-Eaton myasthenic syndrome (LEMS) confirmed by one of the following: a) Presence of voltage-gated calcium channel antibodies OR b) electrophysiologic compound muscle action potential test findings are consistent with LEMS.

- FIRMAGON 120MG/VIAL INJ (New Starts Only)

- FIRMAGON 80MG INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- DICLOFENAC EPOLAMINE 1.3% PATCH

- FLECTOR 1.3% PATCH

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- FOTIVDA 0.89MG CAP (New Starts Only)

- FOTIVDA 1.34MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- FYCOMPA 0.5MG/ML SUSP (New Starts Only)
- FYCOMPA 12MG TAB (New Starts Only)
- FYCOMPA 4MG TAB (New Starts Only)
- FYCOMPA 8MG TAB (New Starts Only)

- FYCOMPA 10MG TAB (New Starts Only)
 FYCOMPA 2MG TAB (New Starts Only)
- FYCOMPA 6MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For partial-onset seizures: Member tried and failed both of the following: a) topiramate AND b) lacosamide. For primary generalized tonic-clonic seizures: Member tried and failed two of the following: a) lamotrigine, b) levetiracetam, c) primidone OR d) topiramate.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or epilepsy specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

Pendino

- GALAFOLD 123MG 28 DAY PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided that member has an amenable glactosidase alpha gene (GLA) variant.
Age Restrictions	O.
Prescriber Restriction	Prescribed by, or in consultation with, a medical geneticist, nephrologist or a prescriber specialized in the treatment of Fabry disease.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- GATTEX 5MG INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member is dependent on parenteral support for at least 12 months and at least 3 days per week.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- GAVRETO 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of RET gene fusion.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- GEMTESA 75MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure or intolerance to both of the following: a) Myrbetriq AND b) one antimuscarinic agent.
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- GILOTRIF 20MG TAB (New Starts Only)

- GILOTRIF 30MG TAB (New Starts Only)

- GILOTRIF 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation. For squamous non-small cell lung cancer, documentation of EGFR mutation not required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	ndino
	\sim

- GENOTROPIN 0.2MG SYRINGE
- GENOTROPIN 0.6MG SYRINGE
- GENOTROPIN 1.2MG SYRINGE
- GENOTROPIN 1.6MG SYRINGE
- GENOTROPIN 12MG CARTRIDGE
- GENOTROPIN 2MG SYRINGE

- GENOTROPIN 0.4MG SYRINGE
- GENOTROPIN 0.8MG SYRINGE
- GENOTROPIN 1.4MG SYRINGE
- GENOTROPIN 1.8MG SYRINGE
- GENOTROPIN 1MG SYRINGE
- GENOTROPIN 5MG CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of failure to stimulate growth hormone secretion (peak growth hormone level of 10mcg/L or less) by one of the acceptable provocative tests.
Age Restrictions	S
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- BERINERT 500UNIT INJ
- HAEGARDA 2000UNIT INJ
- *icatibant 10mg/ml syringe*
- sajazir 30mg/3ml syringe
- TAKHZYRO 300MG/2ML SYRINGE

- CINRYZE 500UNIT INJ
 HAEGARDA 3000UNIT INJ
 RUCONEST 2100UNIT INJ
 - TAKHZYRO 300MG/2ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- HETLIOZ 20MG CAP

- HETLIOZ 4MG/ML SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For non-24-hour sleep-wake disorder: Member is totally blind. For Smith-Magenis syndrome: Diagnosis of nighttime sleep disturbances in Smith-Magenis syndrome.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a neurologist or sleep specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- JUXTAPID 10MG CAP

-JUXTAPID 30MG CAP

- JUXTAPID 20MG CAP

- JUXTAPID 5MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: A) One of the following: i) Untreated LDL greater than 500 mg/dL OR ii) treated LDL greater than or equal to 300 mg/dL. B) Concurrent use of maximum statin dose (atorvastatin or rosuvastatin) and one other lipid lowering agent (dates and reasons for discontinuation are provided). For patients with statin intolerance, concurrent use of maximum statin dose not required. C) Documentation is provided showing the most recent full lipid panel, including Apo-B, from within the past 12 months. For continuation requests: Member had a reduction in low-density lipoprotein cholesterol (LDL-C) with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a lipidologist, cardiologist, or an endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Pendino

- HUMIRA 10MG/0.1ML SYRINGE
- HUMIRA 40MG/0.4ML AUTO-INJECTOR
- HUMIRA 40MG/0.8ML AUTO-INJECTOR
- HUMIRA 80MG/0.8ML AUTO-INJECTOR
- HUMIRA PEN CROHN'S STARTER PACK 40MG/0.8ML INJ
- HUMIRA PEN PEDIATRIC UC STARTER PACK 80MG/0.8ML INJ
- HUMIRA PEN 80MG/0.8ML AND 40MG/0.4ML PSORIASIS/UVEITIS

- -HUMIRA 20MG/0.2ML SYRINGE
- HUMIRA 40MG/0.4ML SYRINGE
- HUMIRA 40MG/0.8ML SYRINGE
- -HUMIRA PEDIATRIC CROHN'S STARTER PACK SYRINGE (2) 40MC
- -HUMIRA PEN CROHN'S STARTER PACK 80MG/0.8ML INJ
- HUMIRA PEN PSORIASIS STARTER PACK 40MG/0.8ML
- -HUMIRA PREFILLED SYRINGE 80MG/0.8ML STARTER PACK PEC

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	、
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 20mg/week required (or maximally tolerated dose). For Juvenile Idiopathic Arthritis: Failure of, or intolerance to therapy with, methotrexate at a dose of at least 15 mg/week required (or maximally tolerated dose). For Plaque Psoriasis: Failure of, or intolerance to therapy with one of the following: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) acitretin. For Ankylosing Spondylitis (AS): Failure of, or intolerance to sulfasalazine (Trial of sulfasalazine not required for AS with predominant axial involvement). For Psoriatic Arthritis: Failure of, or intolerance to one of the following: a) methotrexate OR b) sulfasalazine. For Ulcerative Colitis or Crohn's Disease: Trial of other agents not required. For Hidradenitis Suppurativa (HS): Member must have both of the following: a) At least 3 cysts AND b) failure of therapy with at least one (1) oral antibiotic. For Uveitis: Failure of, or intolerance to, therapy with both of the following: a) a corticosteroid AND b) an immunosuppressant (methotrexate or cyclosporine).
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis, Juvenile Idiopathic Arthritis or Ankylosing Spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For Plaque Psoriasis and Hidradenitis Suppurativa(HS): Prescribed by, or in consultation with, a dermatology specialist. For Crohn's Disease and Ulcerative Colitis: Prescribed by, or in consultation with, a gastroenterology specialist. For Uveitis: Prescribed by, or in consult with, a rheumatology specialist. For Uveitis: Prescribed by, or in consult with, a rheumatology specialist. For Uveitis: Prescribed by, or in consult with, a rheumatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

pending and pending

- IBRANCE 100MG CAP (New Starts Only)
- IBRANCE 125MG CAP (New Starts Only)
- IBRANCE 75MG CAP (New Starts Only)

- IBRANCE 100MG TAB (New Starts Only)
- IBRANCE 125MG TAB (New Starts Only)
- IBRANCE 75MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	oendino

- ICLUSIG 10MG TAB (New Starts Only)
- ICLUSIG 30MG TAB (New Starts Only)

- ICLUSIG 15MG TAB (New Starts Only)

- ICLUSIG 45MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- IDHIFA 100MG TAB (New Starts Only)

- IDHIFA 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of IDH2 mutation.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ABILIFY 300MG INJ (New Starts Only)
- ABILIFY 400MG INJ (New Starts Only)
- ARISTADA 1064MG/3.9ML SYRINGE (New Starts Only)
- ARISTADA 662MG/2.4ML SYRINGE (New Starts Only)
- ARISTADA 882MG/3.2ML SYRINGE (New Starts Only)
- INVEGA 117MG/0.75ML SYRINGE (New Starts Only)
- INVEGA 156MG/ML SYRINGE (New Starts Only)
- INVEGA 273MG/0.875ML SYRINGE (New Starts Only)
- INVEGA 410MG/1.315ML SYRINGE (New Starts Only)
- INVEGA 78MG/0.5ML SYRINGE (New Starts Only)
- RISPERDAL 12.5MG INJ (New Starts Only)
- RISPERDAL 37.5MG INJ (New Starts Only)

- ABILIFY 300MG SYRINGE (New Starts Only)
- ABILIFY 400MG SYRINGE (New Starts Only)
- ARISTADA 441MG/1.6ML SYRINGE (New Starts Only)
- ARISTADA 675MG/2.4ML SYRINGE (New Starts Only)
- INVEGA 1092MG/3.5ML SYRINGE (New Starts Only)
- INVEGA 1560MG/5ML SYRINGE (New Starts Only)
- INVEGA 234MG/1.5ML SYRINGE (New Starts Only)
- INVEGA 39MG/0.25ML SYRINGE (New Starts Only)
- INVEGA 546MG/1.75ML SYRINGE (New Starts Only)
- INVEGA 819MG/2.625ML SYRINGE (New Starts Only)
- RISPERDAL 25MG INJ (New Starts Only)
- -RISPERDAL 50MG INJ (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has established tolerability with the oral version of medication being requested.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Rei

- IMBRUVICA 140MG CAP (New Starts Only)
- IMBRUVICA 560MG TAB (New Starts Only)

IMBRUVICA 420MG TAB (New Starts Only) IMBRUVICA 70MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- IMPAVIDO 50MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	
	CN,
	ding

- INCRELEX 40MG/4ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- INGREZZA 40MG CAP

- INGREZZA 80MG CAP

PA Criteria Criteria Details Covered Uses All FDA-approved indications not otherwise excluded from Part D. Exclusion Criteria Image: Covered Uses Required Medical Info A) One of the following: i) Member has failed to respond to a change in current antidopaminergic therapy OR ii) Member is unable to switch current antidopaminergic therapy OR iii) Member has symptoms of tardive dyskinesia and is not using antidopaminergic therapy B) Member has a functional disability due to tardive dyskinesia. Age Restrictions Prescriber Restriction Prescriber Restriction Prescribed by, or in consultation with, a neurologist or psychiatrist. Coverage Duration Approved for duration of contract year. Other Criteria Image: Coverage Duration

- INGREZZA 60MG CAP

Pendino

- INLYTA 1MG TAB (New Starts Only)

- INLYTA 5MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- INQOVI 5 TABLET PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- INREBIC 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed Jakafi.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- IRESSA 250MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ISTURISA 10MG TAB

- ISTURISA 5MG TAB

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaExclusion CriteriaRequired Medical InfoFor initial requests: Trial and failure or intolerance to ketoconazole. For continuation requests: Documentation is provided
of urinary cortisol levels that show a positive clinical response.Age RestrictionsPrescriber RestrictionPrescriber RestrictionPrescribed by, or in consultation with, an endocrinologist.Coverage DurationApproved for duration of contract year.Other CriteriaCoverage Duration

- ISTURISA 1MG TAB

98

Pendino

— itraconazole 10mg/ml oral soln

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for 6 months.
Other Criteria	
	pendines

— ivermectin 3mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	
	pendino

- BIVIGAM 5GM/50ML INJ
- -GAMMAGARD 10GM INJ
- GAMMAGARD 5GM INJ
- GAMMAPLEX 10GM/100ML INJ
- GAMMAPLEX 20GM/200ML INJ
- GAMUNEX 1GM/10ML INJ
- OCTAGAM 2GM/20ML INJ
- PANZYGA 1GM/10ML INJ
- PANZYGA 20GM/200ML INJ
- PANZYGA 5GM/50ML INJ

- FLEBOGAMMA 5GM/50ML INJ
- GAMMAGARD 2.5GM/25ML INJ
- GAMMAKED 1GM/10ML INJ
- GAMMAPLEX 10GM/200ML INJ
- GAMMAPLEX 5GM/50ML INJ
- OCTAGAM 1GM/20ML INJ
- PANZYGA 10GM/100ML INJ
- PANZYGA 2.5GM/25ML INJ
- PANZYGA 30GM/300ML INJ
- PRIVIGEN 20GM/200ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Approval will be based off BvD coverage determination.

Deugli

- JAKAFI 10MG TAB (New Starts Only)
- JAKAFI 20MG TAB (New Starts Only)
- JAKAFI 5MG TAB (New Starts Only)

- JAKAFI 15MG TAB (New Starts Only)

- JAKAFI 25MG TAB (New Starts Only)

- JYNARQUE 15MG TAB
- JYNARQUE TAB 15/15 CARTON PACK (56)
- JYNARQUE TAB 45/15 CARTON PACK (28)
- JYNARQUE TAB 90/30 CARTON PACK (28)

JYNARQUE 30MG TAB
JYNARQUE TAB 30/15 CARTON PACK (28)
JYNARQUE TAB 60/30 CARTON PACK (28)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has an eGFR of 25 ml/min/1.73m2 or greater.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a nephrologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pending

- KALYDECO 150MG TAB

- KALYDECO 50MG GRANULES

- KALYDECO 25MG GRANULES - KALYDECO 75MG GRANULES

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-KERENDIA 10MG TAB

- KERENDIA 20MG TAB

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of Farxiga was not tolerated or contraindicated.
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- KEVZARA 150MG/1.14ML AUTO-INJECTOR

- KEVZARA 200MG/1.14ML AUTO-INJECTOR

KEVZARA 150MG/1.14ML SYRINGE KEVZARA 200MG/1.14ML SYRINGE

DA-approved indications not otherwise excluded from Part D. eumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Humira, b) Enbrel, c) Rinvoq OR d) nz ibed by, or in consultation with, a rheumatology specialist. wed for duration of contract year.
ibed by, or in consultation with, a rheumatology specialist.
ibed by, or in consultation with, a rheumatology specialist.
wed for duration of contract year.
S
Pendino

- -KISQALI 200MG DAILY DOSE PACK (21) (New Starts Only)
- -KISQALI 600MG DAILY DOSE PACK (63) (New Starts Only)
- -KISQALI/FEMARA 400 CO-PACK (New Starts Only)

- -KISQALI 400MG DAILY DOSE PACK (42) (New Starts Only)
- -KISQALI/FEMARA 200 CO-PACK (New Starts Only)
- -KISQALI/FEMARA 600 CO-PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Intolerance or contraindication to therapy with both of the following: a) Verzenio AND b) Ibrance.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-KORLYM 300MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-KOSELUGO 10MG CAP (New Starts Only)

-KOSELUGO 25MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Chart notes documentation is provided that indicates inoperable and symptomatic disease
Age Restrictions	O2.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- sapropterin 100mg powder for oral soln

- sapropterin 500mg powder for oral soln

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For continuation therapy: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a medical geneticist or metabolic physician.
Coverage Duration	Initial approval of 3 months. Continuing therapy approved for duration of contract year.
Other Criteria	
	Pendino

-sapropterin 100mg tab

- KYNMOBI 10MG SL FILM
- KYNMOBI 20MG SL FILM
- KYNMOBI 30MG SL FILM

KYNMOBI 15MG SL FILMKYNMOBI 25MG SL FILM

All FDA-approved indications not otherwise excluded from Part D. Member has failed levodopa/carbidopa adjunctive therapy in combination with both of the following: a) rasagiline AND by entacapone. Prescribed by, or in consultation with, a neurologist. Approved for duration of contract year.
Prescribed by, or in consultation with, a neurologist.
Prescribed by, or in consultation with, a neurologist.
Approved for duration of contract year.
Pendino

-LAMPIT 120MG TAB

-LAMPIT 30MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for 3 months.
Other Criteria	
	Pendino

- LENVIMA 10MG DAILY DOSE PACK (New Starts Only)
- LENVIMA 14MG DAILY DOSE PACK (New Starts Only)
- LENVIMA 20MG DAILY DOSE PACK (New Starts Only)
- LENVIMA 4MG DAILY DOSE PACK (New Starts Only)

- LENVIMA 12MG DAILY DOSE PACK (New Starts Only)
- LENVIMA 18MG DAILY DOSE PACK (New Starts Only)
- LENVIMA 24MG DAILY DOSE PACK (New Starts Only)
- LENVIMA 8MG DAILY DOSE PACK (New Starts Only)

approved indications not otherwise excluded from Part D.
for duration of contract year.
pendino

-ambrisentan 10mg tab

— ambrisentan 5mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- lidocaine 5% patch

PA Criteria	Criteria Details
Covered Uses	All Medically-accepted Indications.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

— lidocaine 5% ointment

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O to the second s
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- LIVMARLI 9.5MG/ML ORAL SOLN

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
For initial requests: Documentation is provided of a mutation in one of the following: a) JAG1 gene OR b) NOTCH2 gene. For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Prescribed by, or in consultation with, a hepatologist, gastroenterologist, or provider that specializes in the treatment of Alagille syndrome.
Approved for duration of contract year.
Pendino

- LIVTENCITY 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Prescriber attests that the medication will not be used for CMV infection prophylaxis.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist, oncologist, transplant or infectious disease specialist.
Coverage Duration	Approved for 3 months.
Other Criteria	
	Pendino

-LOKELMA 10GM POWDER FOR ORAL SUSP

-LOKELMA 5GM POWDER FOR ORAL SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has baseline persistent potassium level greater than 5.0 mmol/L.
Age Restrictions	O ₂
Prescriber Restriction	Prescribed by, or in consultation with, a nephrologist, cardiologist, hematologist or endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-LONSURF 6.14-15MG TAB (New Starts Only)

-LONSURF 8.19-20MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- LORBRENA 100MG TAB (New Starts Only)

-LORBRENA 25MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- LUCEMYRA 0.18MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, clonidine.
Age Restrictions	O.
Prescriber Restriction	Prescribed by, or in consultation with, a prescriber specializing in pain management or addiction treatment.
Coverage Duration	Approved for 1 month.
Other Criteria	If member was initiated on lofexidine at an inpatient facility and request is for continuing therapy for up to a total of 14 days, prescriber and medical restrictions not required.

equired.

-LUMAKRAS 120MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of KRAS G12C mutation.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-LUPKYNIS 7.9MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For continuation therapy: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	O ₂
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatologist or nephrologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Will not be used in combination with belimumab (Benlysta).
	Pendino

-LYBALVI 10-10MG TAB (New Starts Only)

-LYBALVI 20-10MG TAB (New Starts Only)

LYBALVI 15-10MG TAB (New Starts Only) LYBALVI 5-10MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- LYNPARZA 100MG TAB (New Starts Only)

-LYNPARZA 150MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- MAVYRET 100-40MG TAB

- MAVYRET 50-20MG ORAL PELLET

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) Current HCV-RNA titer is provided 2) Member does not have decompensated cirrhosis 3) One of the following: a) no prior treatment with a direct-acting antiviral for hepatitis C, OR b) prior treatment with sofosbuvir-based regimen and all of the following: i) Member does not have genotype 3 AND ii) No prior treatment with an NS3/4A protease inhibitor.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a gastroenterologist, hepatologist, infectious disease or transplant specialist.
Coverage Duration	Coverage duration of 8 to 16 weeks. Applied consistent with current AASLD-IDSA guidance.
Other Criteria	

consist.

- megestrol acetate 125mg/ml susp

- megestrol acetate 40mg/ml susp

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- megestrol acetate 20mg tab (New Starts Only)

- megestrol acetate 40mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- MEKINIST 0.5MG TAB (New Starts Only)

- MEKINIST 2MG TAB (New Starts Only)

Exclusion Criteria Required Medical Info Age Restrictions Prescriber Restriction Coverage Duration Other Criteria	roved indications not otherwise excluded from Part D. on is provided of appropriate BRAF V600E or V600K mutation.
Required Medical InfoDocumentationAge Restrictions	on is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions Prescriber Restriction Coverage Duration Approved for one of the other Criteria Other Criteria	on is provided of appropriate BRAF V600E or V600K mutation.
Prescriber Restriction Coverage Duration Approved for one of the content of	0,
Coverage Duration Approved for one of the criteria	
Other Criteria	
	duration of contract year.
	Pendino

- MEKTOVI 15MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600K mutation.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- dihydroergotamine mesylate 0.5mg/act nasal inhaler

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trials of 2 different triptans were ineffective or not tolerated.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- MOTEGRITY 1MG TAB

- MOTEGRITY 2MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure of trulance.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- MOUNJARO 10MG/0.5ML AUTO-INJECTOR
- MOUNJARO 15MG/0.5ML AUTO-INJECTOR
- MOUNJARO 5MG/0.5ML AUTO-INJECTOR

MOUNJARO 12.5MG/0.5ML AUTO-INJECTOR MOUNJARO 2.5MG/0.5ML AUTO-INJECTOR MOUNJARO 7.5MG/0.5ML AUTO-INJECTOR

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial of both of the following was ineffective, contraindicated, or not tolerated: A) Trulicity AND B) Ozempic.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	C^{N}

- MOVANTIK 12.5MG TAB

- MOVANTIK 25MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- -carisoprodol 350mg tab
- -cyclobenzaprine 10mg tab
- metaxalone 800mg tab
- methocarbamol 750mg tab

- chlorzoxazone 500mg tab
- *cyclobenzaprine 5mg tab*
- methocarbamol 500mg tab
- orphenadrine citrate 100mg er tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	Prior Authorization applies to patients 65 years or older.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- MYFEMBREE 1-0.5-40MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, one hormonal contraceptive.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an obstetrician/gynecologist or women's health/reproductive specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Member does not have known osteoporosis.
	Pendino

Prior Authorization Criteria Last Updated 10/1/2022

Products Affected

- ABELCET 5MG/ML INJ - acetylcysteine 100mg/ml inh soln - acetylcysteine 200mg/ml inh soln - acyclovir 50mg/ml inj - albuterol 0.21mg/ml (0.63mg/3ml) inh soln - albuterol 0.83mg/ml (0.083%) inh soln - albuterol 1.25mg/3ml neb soln - albuterol 5mg/ml inh soln - AMPHOTERICIN B 50MG INJ -ANZEMET 50MG TAB - aprepitant 125mg/aprepitant 80mg cap therapy pack - aprepitant 125mg cap *— aprepitant 80mg cap* - aprepitant 40mg cap - arformoterol tartrate 15mcg/2ml neb soln -ASTAGRAF 0.5MG ER CAP -ASTAGRAF 1MG ER CAP -ASTAGRAF 5MG ER CAP - azasan 75mg tab -azasan 100mg tab - azathioprine 100mg tab - azathioprine 50mg tab - azathioprine 75mg tab - budesonide 0.125mg/ml inh susp - budesonide 0.25mg/ml inh susp -budesonide 0.5mg/ml inh susp CELLCEPT 250MG CAP - CELLCEPT 200MG/ML SUSP CLINIMIX 4.25/10 INJ - CELLCEPT 500MG TAB CLINIMIX 5/15 INJ - CLINIMIX 4.25/5 INJ - CLINIMIX E 2.75/5 INJ - CLINIMIX 5/20 INJ - CLINIMIX E 4.25/5 INJ - CLINIMIX E 4.25/10 INJ - CLINIMIX E 5/15 INJ - CLINIMIX E 5/20 INJ Six - clinisol 15 inj - CYCLOPHOSPHAMIDE 25MG TAB - CYCLOPHOSPHAMIDE 50MG TAB -cyclosporine 100mg cap - cvclosporine 25mg cap - cyclosporine modified 100mg cap - cyclosporine modified 100mg/ml oral soln - cvclosporine modified 25mg cap - cyclosporine modified 50mg cap - DIPHTHERIA/TETANUS TOXOID INJ - ENGERIX-B 10MCG/0.5ML SYRINGE - ENGERIX-B 20MCG/ML INJ - ENGERIX-B 20MCG/ML SYRINGE - ENVARSUS XR 0.75MG TAB - ENVARSUS XR 1MG TAB - ENVARSUS XR 4MG TAB -everolimus 0.5mg tab - everolimus 0.25mg tab - everolimus 0.75mg tab - everolimus 1mg tab

Prior Authorization Criteria Last Updated 10/1/2022

- FIASP 100UNIT/ML INJ
- -gengraf 100mg cap
- -gengraf 25mg cap
- GLUCOSE 100MG/ML/SODIUM CHLORIDE 2MG/ML INJ
- -granisetron 1mg tab
- IMOVAX 2.5UNIT/ML INJ
- INTRALIPID 20GM/100ML INJ
- ipratropium bromide 0.02% inh soln
- -levalbuterol 0.31mg/3ml neb soln
- -levalbuterol 1.25mg/0.5ml neb soln
- *methylprednisolone 16mg tab*
- methylprednisolone 4mg tab
- -mycophenolate mofetil 200mg/ml susp
- mycophenolate mofetil 500mg tab
- mycophenolic acid 360mg dr tab
- MYFORTIC 360MG DR TAB
- NEORAL 100MG/ML ORAL SOLN
- NOVOLOG 100UNIT/ML INJ
- ondansetron 0.8mg/ml oral soln
- -ondansetron 4mg tab
- ondansetron 8mg tab
- -plenamine 15% inj
- prednisolone 2mg/ml oral soln
- prednisolone 4mg/ml oral soln
- -prednisone 10mg tab
- PREDNISONE 1MG/ML ORAL SOLN
- -prednisone 20mg tab
- -prednisone 5mg tab
- PREMASOL 10% INJ
- PROGRAF 0.5MG CAP

- -formoterol fumarate 20mcg/2ml neb soln
- -gengraf 100mg/ml oral soln
- -glucose 100mg/ml inj
- GLUCOSE 100MG/ML/SODIUM CHLORIDE 4.5MG/ML INJ
- -HUMULIN R 500UNIT/ML INJ
- INSULIN ASPART HUMAN 100UNIT/ML INJ
- INTRALIPID 30GM/100ML INJ
- ipratropium/albuterol 0.5-2.5mg/3ml inh soln
- -levalbuterol 0.63mg/3ml inh soln
- -levalbuterol 1.25mg/3ml neb soln
- methylprednisolone 32mg tab
- methylprednisolone 8mg tab
- -mycophenolate mofetil 250mg cap
- -mycophenolic acid 180mg dr tab
- MYFORTIC 180MG DR TAB
- -NEORAL 100MG CAP
- NEORAL 25MG CAP
- NUTRILIPID 20GM/100ML INJ
- ondansetron 4mg odt
- ondansetron 8mg odt
- pentamidine isethionate 50mg/ml inh soln
- -prednisolone 1mg/ml oral soln
- -prednisolone 3mg/ml oral soln
- PREDNISOLONE 5MG/ML ORAL SOLN
- -prednisone 1mg tab
- -prednisone 2.5mg tab
- -prednisone 50mg tab
- PREHEVBRIO 10MCG/ML INJ
- PROGRAF 0.2MG GRANULES FOR ORAL SUSP
- PROGRAF 1MG CAP

ndin

		Last Updated 10/1/2022
- PROGRAF 1MG GRA	ANULES FOR ORAL SUSP	– PROGRAF 5MG CAP
– PROSOL 20% INJ		- PULMOZYME 1MG/ML INH SOLN
– RABAVERT 2.5UNIT/ML INJ		- RAPAMUNE 0.5MG TAB
- RAPAMUNE 1MG TA	AB	- RAPAMUNE 1MG/ML ORAL SOLN
- RAPAMUNE 2MG TA	AB	- RECOMBIVAX 10MCG/ML INJ
- RECOMBIVAX 10M	CG/ML SYRINGE	- RECOMBIVAX 40MCG/ML INJ
- RECOMBIVAX 5MCG/0.5ML INJ		- RECOMBIVAX 5MCG/0.5ML SYRINGE
– SANDIMMUNE 100MG CAP		- SANDIMMUNE 100MG/ML ORAL SOLN
– SANDIMMUNE 25M	G CAP	- sirolimus 0.5mg tab
– sirolimus 1mg tab		— sirolimus 1mg/ml oral soln
- sirolimus 2mg tab		— tacrolimus 0.5mg cap
- tacrolimus 1mg cap		— tacrolimus 5mg cap
- TDVAX 4-4UNIT/ML INJ		— TENIVAC 4-10UNIT/ML INJ
- TENIVAC 4-10UNIT/	ML SYRINGE	– TPN ELECTROLYTES INJ
- TRAVASOL 10% INJ		- TROPHAMINE 10% INJ
- VARUBI 90MG TAB		
PA Criteria	Criteria Details	
Covered Uses	This drug may be covered under Medicare	Part B or D depending upon the circumstances. Information may need to be
	submitted describing the use and setting of	
Exclusion Criteria		
Required Medical Info		
Age Restrictions	01	
Prescriber Restriction		
Coverage Duration		
Other Criteria		

- NATPARA 100MCG CARTRIDGE

- NATPARA 50MCG CARTRIDGE

NATPARA 25MCG CARTRIDGENATPARA 75MCG CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- NERLYNX 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- sorafenib 200mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- NINLARO 2.3MG CAP (New Starts Only)

- NINLARO 3MG CAP (New Starts Only)

- NINLARO 4MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- droxidopa 100mg cap

- droxidopa 300mg cap

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaExclusion CriteriaRequired Medical InfoAge RestrictionsPrescriber RestrictionPrescriber RestrictionCoverage DurationApproved for duration of contract year.Other CriteriaImage: Coverage Duration

- droxidopa 200mg cap

Pendino

- NOURIANZ 20MG TAB

- NOURIANZ 40MG TAB

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed one agent from both of the following classes when used in combination with carbidopa/levodopa: 1) COMT inhibitor AND 2) MAO-B inhibitor.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-NOXAFIL 40MG/ML SUSP

-posaconazole 100mg dr tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NUBEQA 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- NUCALA 100MG INJ

- NUCALA 100MG/ML SYRINGE

- NUCALA 100MG/ML AUTO-INJECTOR

- NUCALA 40MG/0.4ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For asthma initial requests: Both of the following: A) Peripheral blood eosinophil count is provided and is greater than or equal to 150 cells per microliter. B) History of 1 or more exacerbations in the previous year despite regular use of high-dose inhaled corticosteroids plus an additional controller(s). An exception is made for patients with intolerance or contraindication to high-dose inhaled corticosteroids and additional controller(s). For eosinophilic granulomatosis with polyangiitis (EGPA) initial requests: All of the following: A) One of the following: 1) baseline blood eosinophil count greater than 1000 cells per microliter OR 2) baseline blood eosinophil count greater than 10% of the total leukocyte count B) Trial of oral corticosteroid therapy was ineffective, contraindicated, or not tolerated C) Trial of one of the following was ineffective, contraindicated, or not tolerated: a) cyclophosphamide OR b) methotrexate. For hypereosinophilic syndrome initial requests: Both of the following: A) Diagnosis confirmed by blood eosinophil count greater than 1000 cells per microliter syndrome has persisted for at least six months. For nasal polyps initial requests: Intolerance to, or failure of therapy of both of the following: a) an oral corticosteroid AND b) a nasal corticosteroid. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an allergy specialist, immunologist, otolaryngologist, pulmonary specialist, gastroenterologist, hematologist, or rheumatologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- NUEDEXTA 20-10MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided (in the form of chart notes or imaging) of a structural neurological condition as the cause of pseudobulbar affect AND disease severity demonstrated by a score of 13 or greater on the Center for Neurologic Study Lability Scale (CNS-LS).
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a Neurologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- NUPLAZID 10MG TAB (New Starts Only)

- NUPLAZID 34MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- -armodafinil 150mg tab
- *armodafinil 250mg tab*
- modafinil 100mg tab

— armodafinil 200mg tab — armodafinil 50mg tab — modafinil 200mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	pendino

-NUZYRA 150MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	
	pendino
	$\langle \mathbf{Q}^{\mathbf{Q}} \rangle$

- OCALIVA 10MG TAB

- OCALIVA 5MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has one of the following: a) inadequate response to a year of therapy with ursodiol OR b) experienced intolerance to ursodiol.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hepatologist or gastroenterologist
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- octreotide 0.05mg/ml inj
- *octreotide 0.2mg/ml inj*
- octreotide 1mg/ml inj

- octreotide 0.1mg/ml inj - octreotide 0.5mg/ml inj

- ODOMZO 200MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

-OFEV 100MG CAP

-OFEV 150MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) For idiopathic pulmonary fibrosis initial requests: Diagnosis confirmed by one of the following: i) Surgical lung biopsy revealing histopathological pattern of unspecified interstitial pneumonia (UIP) ii) High-resolution computed tomography (HRCT) indicates definite UIP pattern iii) Both HRCT indicates possible UIP pattern AND surgical lung biopsy reveals a histopathological pattern of probable UIP. 2) For systemic sclerosis-associated iterstitial lung disease (ILD) initial requests: A) Diagnosis confirmed with documentation provided of both of the following: i) HRCT scan AND ii) pulmonary function tests AND B) Member has tried and failed mycophenolate. 3) For chronic fibrosing ILDs with a progressive phenotype initial requests: A) Presence of reticular abnormality with traction bronchiectastis with a disease extent of more than 10% on HRCT AND B) Disease is progressive, defined by one of the following: a) FVC decline of 5% or more b) worsening respiratory symptoms c) increasing extent of fibrotic changes on chest imaging AND C) Progression occurred despite treatment with one of the following: i) azathioprine n) cyclosporine iii) mycophenolate mofetil iv) tacrolimus v) oral corticosteroids equivalent to 20 mg or more per day of prednisone vi) cyclophosphamide vii) rituximab. 4) For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Rel

- OLUMIANT 1MG TAB

- OLUMIANT 2MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For rheumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Humira, b) Enbrel, c) Rinvoq OR d) Xeljanz
Age Restrictions	
Prescriber Restriction	Prescribed by or in consultation with, a rheumatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ONGENTYS 25MG CAP

-ONGENTYS 50MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed one agent from both of the following classes when used in combination with carbidopa/levodopa: 1) COMT inhibitor AND 2) MAO-B inhibitor.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ONUREG 200MG TAB (New Starts Only)

- ONUREG 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- OPSUMIT 10MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- FENTANYL 100MCG BUCCAL TAB
- *fentanyl 1600mcg lozenge*
- *fentanyl 200mcg lozenge*
- -fentanyl 400mcg lozenge
- -fentanyl 600mcg lozenge
- -fentanyl 800mcg lozenge
- FENTORA 200MCG BUCCAL TAB
- FENTORA 600MCG BUCCAL TAB

- -fentanyl 1200mcg lozenge
- FENTANYL 200MCG BUCCAL TAB
- FENTANYL 400MCG BUCCAL TAB
- FENTANYL 600MCG BUCCAL TAB
- FENTANYL 800MCG BUCCAL TAB
- FENTORA 100MCG BUCCAL TAB
- FENTORA 400MCG BUCCAL TAB
- FENTORA 800MCG BUCCAL TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D
Exclusion Criteria	
Required Medical Info	Documented tolerance to opioids defined as patients taking around the clock medicine consisting of at least 60mg of oral morphine daily, at least 25mcg of transdermal fentanyl per hour, at least 30mg of oxycodone daily, at least 8mg of oral hydromorphone daily, or an equianalgesic dose of another opioid daily for a week or longer.
Age Restrictions	$\mathbf{C}\mathbf{N}$
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendil

- ORENCIA 125MG/ML AUTO-INJECTOR
- ORENCIA 50MG/0.4ML SYRINGE

- ORENCIA 125MG/ML SYRINGE

- ORENCIA 87.5MG/0.7ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For rheumatoid arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Enbrel, b) Humira, c) Rinvoq OR d) Xeljanz. For polyarticular juvenile idiopathic arthritis: Intolerance to, or failure of therapy with 2 of the following: a) Humira, b) Enbrel OR c) Xeljanz. For Psoriatic Arthritis: Intolerance to, or failure of therapy with, 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi, g) Tremfya, h) Rinvoq OR i) Xeljanz.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with a rheumatology or transplant specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ORENITRAM 0.125MG ER TAB
- ORENITRAM 1MG ER TAB
- ORENITRAM 5MG ER TAB

- ORENITRAM 0.25MG ER TAB - ORENITRAM 2.5MG ER TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-nitisinone 10mg cap

- -nitisinone 5mg cap
- ORFADIN 4MG/ML SUSP

— nitisinone 2mg cap

-ORFADIN 20MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- ORGOVYX 120MG TAB (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	NY '

- ORIAHNN 28 DAY KIT PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, one hormonal contraceptive.
Age Restrictions	O .
Prescriber Restriction	Prescribed by, or in consultation with, an obstetrician/gynecologist or women's health/reproductive specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Member does not have known osteoporosis.
	CNS

-ORILISSA 150MG TAB

- ORILISSA 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has failure of, or intolerance to, both of the following: a) one non-steroidal anti-inflammatory drug (NSAID) AND b) one hormonal contraceptive.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an obstetrician/gynecologist or women's health/reproductive specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Member does not have known osteoporosis.

Pendino chino

- ORKAMBI 125-100MG GRANULES

-ORKAMBI 125-200MG TAB

- ORKAMBI 125-100MG TAB - ORKAMBI 188-150MG GRANULES

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- OSPHENA 60MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Intolerance to, or failure of, therapy with both of the following: a) generic estradiol vaginal cream and b) Premarin vaginal cream.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- OTEZLA 28-DAY STARTER PACK

- OTEZLA 30MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For oral ulcers associated with Behcet's disease: Trial of topical triamcinolone 0.1% oral paste was ineffective, not tolerated, or contraindicated. For Psoriatic Arthritis: Failure of, or intolerance to, one of the following required: a) methothrexate OR b) sulfasalazine. For Plaque Psoriasis: Failure of, or intolerance to, one of the following: a) methotrexate at a dose of 15mg/week (or maximally tolerated dose) OR b) acitretin.
Age Restrictions	
Prescriber Restriction	For oral ulcers associated with Behcet's disease and psoriatic arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a Dermatology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For oral ulcers associated with Behcet's disease: Diagnosis confirmed by the presence of oral ulcers AND at least two of the following: recurrent genital ulceration, eye lesions, skin lesions, positive pathergy test.

r. .cet's disease: L _ration, eye lesions, ski.

- oxandrolone 10mg tab

— oxandrolone 2.5mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- OXBRYTA 300MG TAB FOR ORAL SUSP

-OXBRYTA 500MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Criteria 1 and 2 must be met or criteria 3 must be met: 1. Trial of maximally tolerated hydroxyurea dose was ineffective, not tolerated or contraindicated. 2. Member has had at least 1 vaso-occlusive crisis in the prior 12 months, while on hydroxyurea (if applicable). 3. Prescriber is a hematologist at a Sickle Cell Center of Excellence (Documentation is provided of the name of the center of excellence). For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- OXERVATE 0.002% OPHTH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Eye to be treated has never been treated with Oxervate in the past.
Age Restrictions	
Prescriber Restriction	Prescribed by an ophthalmologist.
Coverage Duration	Approved for 3 months.
Other Criteria	
	Pendino

- PALYNZIQ 10MG/0.5ML SYRINGE

- PALYNZIQ 20MG/ML SYRINGE

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaExclusion CriteriaRequired Medical InfoImage: Coverage DetailsAge RestrictionsImage: Prescribed by or in consultation with, a medical geneticist or metabolic physician.Prescriber RestrictionPrescribed by or in consultation of contract year.Other CriteriaImage: Coverage Details

- PALYNZIQ 2.5MG/0.5ML SYRINGE

Pendino

- PANRETIN 0.1% GEL (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- PRALUENT 150MG/ML AUTO-INJECTOR
- REPATHA 140MG/ML AUTO-INJECTOR
- REPATHA 420MG/3.5ML CARTRIDGE

PRALUENT 75MG/ML AUTO-INJECTORREPATHA 140MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initiation of therapy patient must: A) Have one of the following conditions: 1) prior clinical atherosclerotic cardiovascular disease (ASCVD) (see Other Criteria), 2) heterozygous familial hypercholesterolemia (HeFH) (see Other Criteria) 3) homozygous familial hypercholesterolemia (HoFH) (see Other Criteria) or 4) Primary hyperlipidemia other than HeFH and HoFH (see Other Criteria) B) Current LDL-C level is over 70 mg/dL. C) one of the following requirements is met: 1) patient has been treated for 8 weeks or more with a high intensity statin (atorvastatin 40mg or greater OR rosuvastatin 20mg or greater), OR 2) patient is intolerant to statins demonstrated by the failure of 2 statins, including an attempt with a low- or alternatively-dosed statin (twice weekly low-dose rosuvastatin or atorvastatin, low-intensity pitavastatin or pravastatin). Criteria B) and C) not required for HoFH. For continuation of therapy, patient must: A) have one of the following conditions: 1) prior clinical ASCVD (see Other Criteria), 2) HeFH (see Other Criteria), 3) HoFH (see Other Criteria), 4) Primary hyperlipidemia other than HeFH and HoFH (see Other Criteria), 4) Primary hyperlipidemia other than HeFH and HoFH (see Other Criteria), 3) HoFH (see Other Criteria), 4) Primary hyperlipidemia other than HeFH and HoFH (see Other Criteria) AND B) member had a reduction in LDL-C on PCSK9 inhibitor therapy.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Clinical ASCVD defined as acute coronary syndromes, myocardial infarction, stable or unstable angina, coronary or other arterial revascularization procedure, prior stroke or transient ischemic attack, coronary artery disease or peripheral arterial disease of presumed atherosclerotic origin. Diagnosis of HeFH must be confirmed by one of the following: 1) DNA-based evidence of mutation in the LDLR, Apo B, OR PCSK9 gain of function mutation, 2) Untreated LDL-C greater than 190 mg/dl AND tendon xanthomas in patient or first/second degree relative, 3) Untreated LDL-C greater than 190 mg/dl AND either first degree relative less than 60 years of age or second degree relative less than 50 years of age with premature heart disease, OR 4) untreated LDL-C greater than 190 mg/dl AND first or second degree relative with total cholesterol greater than 290 mg/dL. Diagnosis of HoFH confirmed by all of the following: 1) two parents diagnosed with HeFH or genetic

Prior Authorization Criteria Last Updated 10/1/2022

confirmation of LDL receptor mutation, AND 2) untreated total cholesterol greater 290 mg/dL or LDL-C greater 190 mg/dL AND 3) either xanthomas present at 10 years of age or younger or atherosclerotic disease at 20 years of age or younger. Diagnosis of primary hyperlipidemia (other than HeFH and HoFH) which may include, but is not limited to the following conditions: a) Familial hyperchylomicronemia or Buerger-Gruetz Syndrome, b) Familial Combined Hyperlipidemia, c) Familial dysbetalipoproteinemia, d) Familial Triglyceridemia, OR e) Endogenous Hypertriglyceridemia.

pendimo

- PEMAZYRE 13.5MG TAB (New Starts Only)

- PEMAZYRE 4.5MG TAB (New Starts Only)

- PEMAZYRE 9MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of FGFR2 fusion or other rearrangement.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- PIQRAY 200MG DAILY DOSE PACK (New Starts Only)

- PIQRAY 300MG DAILY DOSE PACK (New Starts Only)

- PIQRAY 250MG DAILY DOSE PACK (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Documentation is provided of PIK3CA-mutation.
Approved for duration of contract year.
Pendino

- POMALYST 1MG CAP (New Starts Only)
- POMALYST 3MG CAP (New Starts Only)

POMALYST 2MG CAP (New Starts Only) POMALYST 4MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- PREVYMIS 240MG TAB

- PREVYMIS 480MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member will/has initiated Prevymis within 30 days after an allogeneic hematopoietic stem cell transplant.
Age Restrictions	O.
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist, oncologist, transplant or infectious disease specialist.
Coverage Duration	Approved for 4 months.
Other Criteria	
	Pendino

- CRINONE 4% VAGINAL GEL

- CRINONE 8% VAGINAL GEL

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- PROLIA 60MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For osteoporosis: Trial of an oral bisphosphonate was not tolerated.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- PROMACTA 12.5MG POWDER FOR ORAL SUSP
- PROMACTA 25MG POWDER FOR ORAL SUSP
- PROMACTA 50MG TAB

PROMACTA 12.5MG TAB
PROMACTA 25MG TAB
PROMACTA 75MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- PYRUKYND 20MG TAB (4-WEEK PACK)
- PYRUKYND 50MG TAB (4-WEEK PACK)
- PYRUKYND 5MG TAB TAPER PACK

PYRUKYND 20MG/50MG TAB TAPER PACK PYRUKYND 5MG TAB (4-WEEK PACK)

- PYRUKYND 5MG/20MG TAB TAPER PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: Diagnosis of pyruvate kinase deficiency confirmed by genetic testing (documentation is provided). For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a hematologist or a specialist in treating pyruvate kinase deficiency.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-QINLOCK 50MG TAB (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-quinine sulfate 324mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	
	pendines

- RAVICTI 1.1GM/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Requires trial of sodium phenylbutyrate powder.
Age Restrictions	O2
Prescriber Restriction	Prescribed by, or in consultation with, a metabolic physician or medical geneticist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- REGRANEX 0.01% GEL

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- RELISTOR 12MG/0.6ML INJ

- RELISTOR 8MG/0.4ML SYRINGE

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria For the treatment of opioid-induced constipation (OIC) in adults with advanced illness who are receiving palliative care: Required Medical Info member must have tried and failed lactulose. Age Restrictions Prescriber Restriction Approved for 4 months. **Coverage Duration** Other Criteria Pendimo

- RELISTOR 12MG/0.6ML SYRINGE

- RETACRIT 10000UNIT/ML INJ
- RETACRIT 20000UNIT/ML INJ
- RETACRIT 3000UNIT/ML INJ
- RETACRIT 4000UNIT/ML INJ

- RETACRIT 20000UNIT/2ML INJ - RETACRIT 2000UNIT/ML INJ - RETACRIT 40000UNIT/ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	pending

- RETEVMO 40MG CAP (New Starts Only)

- RETEVMO 80MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of RET mutation or RET gene fusion.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- sildenafil 20mg tab

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- -lenalidomide 10mg cap (New Starts Only)
- lenalidomide 25mg cap (New Starts Only)
- REVLIMID 10MG CAP (New Starts Only)
- REVLIMID 2.5MG CAP (New Starts Only)
- REVLIMID 25MG CAP (New Starts Only)

- -lenalidomide 15mg cap (New Starts Only)
- -lenalidomide 5mg cap (New Starts Only)
- REVLIMID 15MG CAP (New Starts Only)
- REVLIMID 20MG CAP (New Starts Only)
- REVLIMID 5MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	pendino

- REXULTI 0.25MG TAB (New Starts Only)
- REXULTI 1MG TAB (New Starts Only)
- REXULTI 3MG TAB (New Starts Only)

- REXULTI 0.5MG TAB (New Starts Only)
- REXULTI 2MG TAB (New Starts Only)
- REXULTI 4MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For schizophrenia, member has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone. For Major Depressive Disorder: member has tried and failed, or was intolerant to aripiprazole.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pending

- REYVOW 100MG TAB

- REYVOW 50MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trials of 2 different triptans were ineffective or not tolerated.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- REZUROCK 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	N'
	Pendino

- RINVOQ 15MG ER TAB

- RINVOQ 45MG ER TAB

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with one of the following: a) Humira OR Required Medical Info b) Enbrel. For Psoriatic Arthritis: Failure of, or one of the following: a) Humira OR b) Enbrel. For Atopic Dermatitis (initial requests): Intolerance to, or failure of therapy of two (2) of the following: a) a medium to very high potency topical steroid, b) a topical calcineurin inhibitor OR c) an oral immunosuppressant. For Atopic Dermatitis (continuation requests): Prescriber attests to improvement in the member's condition with use of Rinvoq. For atopic dermatitis (all requests): Will not be used in combination with other targeted immunomodulators. For Ulcerative Colitis: Failure of, or intolerance to Humira. For ankylosing spondylitis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. Age Restrictions For Rheumatoid Arthritis or psoriatic arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For atopic Prescriber Restriction dermatitis: Prescribed by, or in consultation with, an allergist, immunologist, or dermatologist. For ulcerative colitis: Prescribed by, or in consultation with a Gastroenterology Specialist. **Coverage Duration** Approved for duration of contract year. For atopic dermatitis (initial requests) Member has moderate to severe atopic dermatitis defined as: 1) One of the Other Criteria following: a) body surface area involvement of 10 percent or more OR b) Chart documentation is provided of severity with involvement of the face, head, neck, hands, feet, groin, or intertriginous areas. AND 2) At least two (2) of the following: a) intractable pruritus (itching), b) cracking and oozing/bleeding of skin OR c) impaired activities of daily living.

- RINVOQ 30MG ER TAB

-ROZLYTREK 100MG CAP (New Starts Only)

-ROZLYTREK 200MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided showing one of the following: a) ROS1 rearrangement OR b) NTRK gene fusion mutation.
Age Restrictions	O a
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino
	$\mathbf{Q}^{\mathbf{Q}}$

-RUBRACA 200MG TAB (New Starts Only)

- RUBRACA 250MG TAB (New Starts Only)

-RUBRACA 300MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- RYDAPT 25MG CAP (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-vigabatrin 500mg powder for oral soln (New Starts Only)

-vigadrone 500mg powder for oral soln (New Starts Only)

-vigabatrin 500mg tab (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Approved for duration of contract year.
Pendino

- SECUADO 3.8MG/24HR PATCH (New Starts Only)

- SECUADO 5.7MG/24HR PATCH (New Starts Only)

- SECUADO 7.6MG/24HR PATCH (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo
	$\mathbf{Q}^{\mathbf{v}}$

- SCEMBLIX 20MG TAB (New Starts Only)

- SCEMBLIX 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For T315I mutation: failure of or intolerance to Iclusig required.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SIGNIFOR 0.3MG/ML INJ

- SIGNIFOR 0.9MG/ML INJ

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaExclusion CriteriaRequired Medical InfoAge RestrictionsPrescriber RestrictionPrescriber RestrictionCoverage DurationApproved for duration of contract year.Other CriteriaImage: Coverage Duration

Pendino

- SIGNIFOR 0.6MG/ML INJ

- SIMPONI 100MG/ML AUTO-INJECTOR

- SIMPONI 50MG/0.5ML AUTO-INJECTOR

- SIMPONI 100MG/ML SYRINGE

- SIMPONI 50MG/0.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Rheumatoid Arthritis (RA): Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Rinvoq OR d) Xeljanz. For Ankylosing Spondylitis (AS): Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz d) Rinvoq OR e) Xeljanz. For Psoriatic Arthritis: Intolerance to, or failure of, therapy with 2 of the following: a) Humira, b) Enbrel, c) Taltz, d) Stelara, e) Otezla, f) Skyrizi, g) Tremfya, h) Rinvoq, OR i) Xeljanz. For Ulcerative Colitis: Intolerance to, or failure of, therapy with two of the following: a) Humira, b) Stelara, c) Rinvoq OR d) Xeljanz.
Age Restrictions	Co
Prescriber Restriction	For Rheumatoid Arthritis, Psoriatic Arthritis or Ankylosing Spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For ulcerative colitis: Prescribed by, or in consultation with, a gastroenterology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	

Pendino

- SIRTURO 100MG TAB

- SIRTURO 20MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- SIVEXTRO 200MG INJ

- SIVEXTRO 200MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for 6 months.
Other Criteria	
	pending

- SKYRIZI 150MG DOSE PACK 75MG/0.83ML

- SKYRIZI 150MG/ML SYRINGE

- SKYRIZI 150MG/ML AUTO-INJECTOR

- SKYRIZI 360MG/2.4ML CARTRIDGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For plaque psoriasis: Failure of, or intolerance to, therapy with one of the following is required: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) acitretin. For Psoriatic Arthritis: Failure of, or intolerance to one of the following: a) methothrexate OR b) sulfasalazine.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a dermatology specialist. For Psoriatic Arthritis: Prescribed by, or in consultation with, a rheumatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- diclofenac sodium 3% gel

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SOLIQUA PEN INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	One of the following: A) Member is unable to achieve an A1c of 7 or under after three (3) months of treatment with one of the following: i) a maximally dosed GLP-1 receptor agonist OR ii) basal insulin greater than or equal to thirty (30) units per day: OR B) member is currently using both basal insulin AND a GLP-1 receptor agonist.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SOLOSEC 2GM GRANULE PACKET

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For bacterial vaginosis: intolerance to, or failure of, therapy with 2 of the following: a) metronidazole, b) clindamycin OR c) tinidazole. For trichomonas vaginalis: intolerance to, or failure of, therapy with both of the following: a) metronidzazole AND b) tinidazole.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SOLTAMOX 10MG/5ML ORAL SOLN (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- SOMAVERT 10MG INJ
- SOMAVERT 20MG INJ
- SOMAVERT 30MG INJ

- SOMAVERT 15MG INJ - SOMAVERT 25MG INJ

- SPRITAM 1000MG TAB FOR ORAL SUSP (New Starts Only)
- SPRITAM 500MG TAB FOR ORAL SUSP (New Starts Only)

SPRITAM 250MG TAB FOR ORAL SUSP (New Starts Only) SPRITAM 750MG TAB FOR ORAL SUSP (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Trial of, or contraindication to, generic levetiracetam.
Approved for duration of contract year.
Pendino

- SPRYCEL 100MG TAB (New Starts Only)
- SPRYCEL 20MG TAB (New Starts Only)
- SPRYCEL 70MG TAB (New Starts Only)

- SPRYCEL 140MG TAB (New Starts Only)
- SPRYCEL 50MG TAB (New Starts Only)
- SPRYCEL 80MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	ending ch

- STELARA 45MG/0.5ML INJ

- STELARA 90MG/ML SYRINGE

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria For Plaque Psoriasis: Failure of, or intolerance to, therapy with one of the following required: a) methotrexate at a dose of at Required Medical Info least 15mg/week (or maximally tolerated dose) OR b) acitretin. For Psoriatic Arthritis: Failure of, or intolerance to, one of the following required: a) methothrexate OR b) sulfasalazine. For Ulcerative Colitis and Crohn's Disease: Trial of other agents not required. Age Restrictions Prescriber Restriction For Psoriatic Arthritis: Prescribed by, or in consultation with, a rheumatology specialist. For Crohn's Disease and Ulcerative colitis: Prescribed by, or in consultation with, a gastroenterology specialist. For Plaque Psoriasis: Prescribed by, or in consultation with, a dermatology specialist. **Coverage Duration** Approved for duration of contract year. Other Criteria Pendino

- STELARA 45MG/0.5ML SYRINGE

- STIVARGA 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SUCRAID 8500UNIT/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SUNOSI 150MG TAB

- SUNOSI 75MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Failure of, or intolerance to, one of the following: a) modafinil OR b) armodafinil
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Documentation is provided of full nocturnal polysomnogram used to confirm diagnosis.
	Pendino

- sunitinib 12.5mg cap (New Starts Only) - sunitinib 37.5mg cap (New Starts Only) - sunitinib 25mg cap (New Starts Only)

- sunitinib 50mg cap (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SYMDEKO 50-75MG/75MG PACK

- SYMDEKO TAB 4-WEEK PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SYMPROIC 0.2MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SYNAREL 2MG/ML NASAL INHALER

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- SYNRIBO 3.5MG INJ (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- trientine 250mg cap

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TABRECTA 150MG TAB (New Starts Only)

- TABRECTA 200MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of MET exon 14 skipping mutation.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TAFINLAR 50MG CAP (New Starts Only)

- TAFINLAR 75MG CAP (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Documentation is provided of appropriate BRAF V600E or V600K mutation.
O ₂
Approved for duration of contract year.
-

- TAGRISSO 40MG TAB (New Starts Only)

- TAGRISSO 80MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TALTZ 80MG/ML AUTO-INJECTOR

- TALTZ 80MG/ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For Plaque Psoriasis: Requires failure of, or intolerance to therapy with, one of the following: a) methotrexate at a dose of at least 15mg/week (or maximally tolerated dose) OR b) acitretin. For Ankylosing Spondylitis (AS): Requires failure of, or intolerance to sulfasalazine. (Trial of sulfasalazine not required for AS with predominant axial involvement). For Psoriatic Arthritis: Requires failure of, or intolerance to, one of the following: a) methotrexate OR b) sulfasalazine. For Non-radiographic axial spondyloarthritis: Intolerance or failure of therapy with two non-steroidal anti-inflammatory drugs (NSAIDs).
Age Restrictions	
Prescriber Restriction	For Psoriatic Arthritis, Non-radiographic axial spondyloarthritis and Ankylosing spondylitis: Prescribed by, or in consultation with, a rheumatology specialist. For Plaque Psoriasis: Prescribed by, or in cosultation with, a dermatology specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TALZENNA 0.25MG CAP (New Starts Only)
- TALZENNA 0.75MG CAP (New Starts Only)

- TALZENNA 0.5MG CAP (New Starts Only)

- TALZENNA 1MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- erlotinib 100mg tab (New Starts Only)

-erlotinib 25mg tab (New Starts Only)

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria Required Medical Info Documentation is provided of appropriate EGFR mutation. Age Restrictions Prescriber Restriction **Coverage Duration** Approved for duration of contract year. Other Criteria Pendino

-erlotinib 150mg tab (New Starts Only)

- bexarotene 1% gel (New Starts Only)

-bexarotene 75mg cap (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TASIGNA 150MG CAP (New Starts Only)

- TASIGNA 200MG CAP (New Starts Only)

- TASIGNA 50MG CAP (New Starts Only)

All FDA-approved indications not otherwise excluded from Part D. All FDA-approved indications not otherwise excluded from Part D. Approved for duration of contract year.
Approved for duration of contract year.
Pendino

- TAVALISSE 100MG TAB

- TAVALISSE 150MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TAVNEOS 10MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Member is positive for antibodies to one of the following: a) proteinase 3 OR b) myeloperoxidase.
Age Restrictions	O2
Prescriber Restriction	Prescribed by, or in consultation with, a rheumatologist or nephrologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- tazarotene 0.1% cream

- TAZORAC 0.05% CREAM

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TAZVERIK 200MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TEGSEDI 284MG/1.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	Prescribed by a neurologist, cardiologist, hematologist, or other specialist experienced in the diagnosis and treatment of hereditary transthyretin-mediated amyloidosis.
Coverage Duration	Approved for duration of contract year.
Other Criteria	Hereditary transthyretin-mediated amyloidosis confirmed by genetic sequencing AND amyloidosis confirmed by positive tissue biopsy or laser capture tandem mass spectrometry.

sis confir. s spectrometry.

- TEPMETKO 225MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of MET exon 14 skipping mutation.
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ANDRODERM 2MG/24HR PATCH
- testosterone 1% (12.5mg/act) gel pump
- *testosterone 1% (50mg) gel packet*
- testosterone 1.62% (2.5gm) gel packet
- testosterone 30mg/act topical soln

- ANDRODERM 4MG/24HR PATCH
- *testosterone 1% (25mg) gel packet*
- *testosterone 1.62% (1.25gm) gel packet*
- testosterone 1.62% (20.25mg/act) gel pump

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) For initial requests: documentation is provided of morning testosterone levels, from two separate days, that fall below the normal range for a healthy adult male. B) For continuation requests: Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

— tetrabenazine 12.5mg tab

— tetrabenazine 25mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- THALOMID 100MG CAP (New Starts Only)

- THALOMID 200MG CAP (New Starts Only)

- THALOMID 150MG CAP (New Starts Only)

- THALOMID 50MG CAP (New Starts Only)

Criteria Details
All FDA-approved indications not otherwise excluded from Part D.
Approved for duration of contract year.

- TIBSOVO 250MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of IDH1 mutation.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- tiopronin 100mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- tobramycin 60mg/ml inh soln

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Approval will be based off BvD coverage determination.
	Pendino

-bosentan 125mg tab

— bosentan 62.5mg tab

- TRACLEER 32MG TAB FOR ORAL SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TREMFYA 100MG/ML AUTO-INJECTOR

- TREMFYA 100MG/ML SYRINGE

Prescriber Restriction For Psoriatic Arthritis: Prescribed by, or in consultation, with a rheumatology specialist. For or in consultation with, a dermatology specialist. Coverage Duration Approved for duration of contract year. Other Criteria Other Criteria	
Required Medical Info For Plaque Psoriasis: Failure of, or intolerance to therapy with one of the following: a) metals in the interval of the following: a) metals in the interval of the following: a) methothrexate OR b) sulfasalazine. Age Restrictions Image: Coverage Duration Prescriber Criteria For Psoriatic Arthritis: Prescribed by, or in consultation, with a rheumatology specialist. For or in consultation with, a dermatology specialist. Other Criteria Image: Coverage Duration	
15mg/week (or maximally tolerated dose) OR b) acitretin. For Psoriatic Arthritis: Failure of following: a) methothrexate OR b) sulfasalazine. Age Restrictions Prescriber Restriction For Psoriatic Arthritis: Prescribed by, or in consultation, with a rheumatology specialist. For or in consultation with, a dermatology specialist. Coverage Duration Approved for duration of contract year. Other Criteria	
or in consultation with, a dermatology specialist. Coverage Duration Approved for duration of contract year. Other Criteria	
or in consultation with, a dermatology specialist. Coverage Duration Approved for duration of contract year. Other Criteria	
Other Criteria	Plaque Psoriasis: Prescribed by,
CN	
inochi	
Pendino	

- TRIKAFTA 100-50-75MG/150MG PACK

- TRIKAFTA 50-37.5-25MG/75MG TAB PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TRUSELTIQ 100MG DAILY DOSE PACK (21) (New Starts Only)
- TRUSELTIQ 50MG DAILY DOSE PACK (42) (New Starts Only)

- TRUSELTIQ 125MG DAILY DOSE PACK (42) (New Starts Only)

- TRUSELTIQ 75MG DAILY DOSE PACK (63) (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of FGFR2 fusion or other rearrangement.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- TUKYSA 150MG TAB (New Starts Only)

- TUKYSA 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TURALIO 200MG CAP (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- lapatinib 250mg tab (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- TYVASO 16-32-48MCG TITRATION PACK
- TYVASO 16MCG INH POWDER
- TYVASO 32MCG INH POWDER
- TYVASO 64MCG INH POWDER

TYVASO 16-32MCG TITRATION PACK TYVASO 32-48MCG MAINTENANCE PACK TYVASO 48MCG INH POWDER

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For all indications: Diagnosis of pulmonary arterial hypertension confirmed by right heart catheterization. For pulmonary arterial hypertension associated with interstitial lung disease (ILD): Interstitial lung disease confirmed by high-resolution computed tomography (HRCT).
Age Restrictions	
Prescriber Restriction	S
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	pendino

- UBRELVY 100MG TAB

- UBRELVY 50MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trials of 2 different triptans were ineffective or not tolerated.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-budesonide 9mg er tab

- UCERIS 2MG/ACT RECTAL FOAM

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure, or intolerance to mesalamine.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- UPTRAVI 1000MCG TAB
- UPTRAVI 1400MCG TAB
- UPTRAVI 200MCG TAB
- UPTRAVI 600MCG TAB
- UPTRAVI TAB TITRATION PACK

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	G

- UPTRAVI 1200MCG TAB

- UPTRAVI 1600MCG TAB

- UPTRAVI 400MCG TAB

- UPTRAVI 800MCG TAB

Pendino

- VALCHLOR 0.016% GEL (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VELTASSA 16.8GM POWDER FOR ORAL SUSP

- VELTASSA 25.2GM POWDER FOR ORAL SUSP

- VELTASSA 8.4GM POWDER FOR ORAL SUSP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Member has baseline persistent potassium level greater than 5.0 mmol/L.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a nephrologist, cardiologist, or endocrinologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- VENCLEXTA 100MG TAB (New Starts Only)
- VENCLEXTA 50MG TAB (New Starts Only)

VENCLEXTA 10MG TAB (New Starts Only)VENCLEXTA TAB STARTER PACK (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- VENTAVIS 10MCG/ML INH SOLN

- VENTAVIS 20MCG/ML INH SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Diagnosis confirmed by right heart catheterization.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Approval will be based off BvD coverage determination.
	Pendino

- VERQUVO 10MG TAB

- VERQUVO 5MG TAB

PA Criteria Criteria Details Covered Uses All FDA-approved indications not otherwise excluded from Part D. Exclusion Criteria Exclusion Criteria Required Medical Info Coverage Neatrictions Prescriber Restriction Coverage Duration Coverage Duration Approved for duration of contract year. Other Criteria Coverage Duration

Pendino

- VERQUVO 2.5MG TAB

- VERZENIO 100MG TAB (New Starts Only)
- VERZENIO 200MG TAB (New Starts Only)

VERZENIO 150MG TAB (New Starts Only) VERZENIO 50MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- VIBERZI 100MG TAB

- VIBERZI 75MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- VIJOICE 125MG 28 DAY PACK

- VIJOICE 50MG 28 DAY PACK

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria Documentation is provided of mutation in the PIK3CA gene. For continuation requests: Prescriber attests to improvement in Required Medical Info the member's condition with use of the medication. Age Restrictions Prescriber Restriction Approved for duration of contract year. **Coverage Duration** Other Criteria Pendino

- VIJOICE 250MG 28 DAY PACK

- VITRAKVI 100MG CAP (New Starts Only)

- VITRAKVI 20MG/ML ORAL SOLN (New Starts Only)

- VITRAKVI 25MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of NTRK gene fusion mutation.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VIZIMPRO 15MG TAB (New Starts Only)

- VIZIMPRO 30MG TAB (New Starts Only)

- VIZIMPRO 45MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate EGFR mutation.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- VONJO 100MG CAP (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-voriconazole 200mg inj

-voriconazole 40mg/ml susp

-voriconazole 200mg tab

-voriconazole 50mg tab

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for 6 months.
Other Criteria	

Pendino

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	1) Current HCV-RNA titer is provided 3) Member does not have decompensated currhosis 3) Previous Hepatitis C treatment(s) is provided.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a gastroenterologist, hepatologist, infectious disease specialist or transplant specialist.
Coverage Duration	Coverage duration of 12 weeks.
Other Criteria	Treatment regimen will be approved based on previous treatment experience as defined by current AASLD guidelines.

endino

- VOTRIENT 200MG TAB (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VOXZOGO 0.4MG INJ

- VOXZOGO 1.2MG INJ

PA CriteriaCriteria DetailsCovered UsesAll FDA-approved indications not otherwise excluded from Part D.Exclusion CriteriaRequired Medical InfoFor initial requests: 1) Documentation is provided of the fibroblast growth factor receptor 3 (FGFR3) gene mutation AND 2)
Member has open epiphyses. For continuation requests: 1) Epiphyses remain open AND 2) Prescriber attests to
improvement in the member's condition with use of the medication.Age RestrictionsPrescriber RestrictionPrescriber RestrictionPrescribed by, or in consultation with, a provider specialized in the treatment of achondroplasia.Coverage DurationApproved for duration of contract year.Other Criteria

Pendino

- VOXZOGO 0.56MG INJ

- VRAYLAR 1.5/3MG MIXED PACK (New Starts Only)
- VRAYLAR 3MG CAP (New Starts Only)
- VRAYLAR 6MG CAP (New Starts Only)

VRAYLAR 1.5MG CAP (New Starts Only) VRAYLAR 4.5MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Patient has tried and failed 2 of the following: a) aripiprazole, b) olanzapine, c) quetiapine, d) risperidone OR e) ziprasidone.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- VYNDAMAX 61MG CAP

- VYNDAQEL 20MG CAP

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	A) Diagnosis confirmed by one of the following: i) cardiac biopsy with positive congo red staining and ATTR confirmation by mass spectrometry or immunofluorescence staining ii) Myocardial uptake of Tc-PYP demonstrated by a greater than 1.5 heart-to-contralateral ratio or grade 2 or greater visual evidence B) Absence of light-chain or other forms of amyloidosis confirmed by all of the following: i) Serum kappa/lambda free light chain ratio 0.26 to 1.65 ii) Absence of monoclonal protein via serum protein immunofixation iii) Absence of monoclonal protein via urine protein immunofixation.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, a cardiologist or other provider experienced in the treatment of cardiomyopathy of transthyretin-mediated amyloidosis.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Sending

- WAKIX 17.8MG TAB

- WAKIX 4.45MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For excessive daytime sleepiness with narcolepsy: failure of, or intolerance to, both of the following: a) Sunosi AND b) either modafinil or armodafinil. For cataplexy with narcolepsy: trial of other agents not required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	For narcolepsy: Documentation is provided of full nocturnal polysonmogram used to confirm diagnosis. For cataplexy: Documentation is provided of one of the following to confirm diagnosis: a) full nocturnal polysomnogram OR b) low cerebrospinal fluid orexin-A concentration.

endine

- WELIREG 40MG TAB (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	NY '

- XALKORI 200MG CAP (New Starts Only)

-XALKORI 250MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive or ROS1-positive disease.
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- XATMEP 2.5MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For polyarticular juvenile idiopathic arthritis: patient must have trial of, or inability to use, oral methotrexate tablet. For acute lymphoblastic leukemia: trial of oral methotrexate tablet is not required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- XELJANZ 10MG TAB

- XELJANZ 5MG TAB

- XELJANZ XR 22MG TAB

XELJANZ 1MG/ML ORAL SOLN XELJANZ XR 11MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For moderate to severe Rheumatoid Arthritis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Juvenile Idiopathic Arthritis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Psoriatic Arthritis: Failure of, or one of the following: a) Humira OR b) Enbrel. For ankylosing spondylitis: Failure of, or intolerance to therapy with one of the following: a) Humira OR b) Enbrel. For Ulcerative Colitis: Failure of, or intolerance to Humira.
Age Restrictions	
Prescriber Restriction	For Rheumatoid Arthritis, Juvenile idiopathic arthritis, ankylosing spondylitis, or Psoriatic Arthritis: Prescribed by, or in consultation with a Rheumatology Specialist. For Ulcerative Colitis : Prescribed by, or in consultation with a Gastroenterology Specialist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendinos

- XENLETA 600MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	0.
Prescriber Restriction	
Coverage Duration	Approved for 1 month.
Other Criteria	
	sendimo
	Q ^O ¹

- XERMELO 250MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	Patient is currently taking somatostatin analog therpy and still experiencing symptoms.

- XGEVA 120MG/1.7ML INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	N'
	Pendino

-XIFAXAN 550MG TAB

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	For diagnosis of IBS-D, approval will increase quantity limit to 42 tablets over 14 days, maximum of three fills per contract year.

- XOLAIR 150MG INJ

- XOLAIR 150MG/ML SYRINGE

- XOLAIR 75MG/0.5ML SYRINGE

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For initial requests: For moderate to severe persistent asthma: There must be: A) Objective evidence of reversible airway obstruction B) Member must have a positive skin test or RAST test for specific allergic sensitivity C) One of the following: i) Inadequately controlled asthma despite medium dose of inhaled corticosteroids for at least 3 months in combination with a trial of long-acting inhaled beta-agonists or a leukotriene modifier OR ii) systemic steroids or high dose inhaled corticosteroids are required to maintain adequate asthma control. For chronic idiopathic urticaria: one of the following: a) patient remains symptomatic despite H1 antihistamine treatment OR b) has intolerance or contraindication to H1 antihistamine treatment. For nasal polyps: A) Confirmed diagnosis of nasal polyps (see other criteria) AND B) Trial of Dupixent was ineffective, not tolerated, or contraindicated. For continuation requests (all diagnoses): Prescriber attests to improvement in the member's condition with use of the medication.
Age Restrictions	
Prescriber Restriction	Prescribed by, or in consultation with, an allergist, pulmonologist, dermatologist, ENT specialist, or immunologist.
Coverage Duration	Approved for duration of contract year.
Other Criteria	For nasal polyps (initial requests): Diagnosis is confirmed with a sinus CT scan AND at least four of the following apply: a) prior surgery for bilateral nasal polyposis b) evidence of type 2 inflammation c) two or more courses of oral corticosteroids required in the prior year d) significantly impaired quality of life e) significant loss of smell f) diagnosis of comorbid asthma
	Reyor

- XOSPATA 40MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of FLT3 mutation.
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendimo

- XPOVIO 40MG TWICE WEEKLY CARTON (8-PACK) (New Starts Only
- XPOVIO 60MG TWICE WEEKLY CARTON (24 PACK) (New Starts On XPOVIO 80MG ONCE WEEKLY CARTON (8-PACK) (New Starts Only
- XPOVIO 80MG TWICE WEEKLY CARTON (32 PACK) (New Starts On
- XPOVIO 100MG ONCE WEEKLY CARTON (8-PACK) (New Starts Onl XPOVIO 40MG ONCE WEEKLY CARTON (4-PACK) (New Starts Only
 - XPOVIO 60MG ONCE WEEKLY CARTON (4-PACK) (New Starts Only

 \mathbf{N}

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- XTANDI 40MG CAP (New Starts Only)

- XTANDI 80MG TAB (New Starts Only)

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria Required Medical Info For metastatic castration-resistant prostate cancer (mCRPC) and metastatic castration-sensitive prostate cancer (mCSPC): failure of, intolerance or contraindication to, abiraterone (Zytiga equivalent) required. For nonmetastatic castration-resistant prostate cancer (nmCRPC): failure of, or intolerance to, both of the following: a) Nubeqa and b) Erleada. Age Restrictions Prescriber Restriction Approved for duration of contract year. **Coverage Duration** Other Criteria Pendino

- XTANDI 40MG TAB (New Starts Only)

- XULTOPHY 100UNIT-3.6MG/ML PEN INJ

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	One of the following: A) Member is unable to achieve an A1c of 7 or under after three (3) months of treatment with one of the following: i) a maximally dosed GLP-1 receptor agonist OR ii) basal insulin greater than or equal to thirty (30) units per day: OR B) member is currently using both basal insulin AND a GLP-1 receptor agonist.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- XYREM 500MG/ML ORAL SOLN

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	For excessive daytime sleepiness with narcolepsy in adults: failure of, or intolerance to, both of the following: a) Sunosi AND b) either modafinil or armodafinil. Trial of other agents not required for patients aged 7 to 17 years. For cataplexy with narcolepsy: trial of other agents not required.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	For excessive daytime sleepiness with narcolepsy: Documentation is provided of full nocturnal polysomnogram used to confirm diagnosis. For cataplexy with narcolepsy: Documentation is provided of one of the following to confirm diagnosis: a) full nocturnal polysomnogram OR b) low cerebrospinal fluid orexin-A concentration.

narcolepsy. DR b) low cerebrospinates.

- miglustat 100mg cap

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ZEJULA 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- ZELBORAF 240MG TAB (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of appropriate BRAF V600E or V600 mutation.
Age Restrictions	O .
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

- ZEPOSIA 0.92MG CAP

- ZEPOSIA CAP STARTER PACK

PA Criteria **Criteria Details** Covered Uses All FDA-approved indications not otherwise excluded from Part D. **Exclusion** Criteria For Ulcerative Colitis: Intolerance to, or failure of, therapy with two of the following: a) Humira, b) Stelara, c) Rinvoq OR Required Medical Info d) Xeljanz. Age Restrictions For multiple sclerosis: Prescribed by, or in consultation with, a neurology specialist. For ulcerative colitis : Prescribed by, or Prescriber Restriction in consultation with, a gastroenterology specialist. Approved for duration of contract year. **Coverage Duration** Other Criteria Pendino

- ZEPOSIA CAP 7-DAY STARTER PACK

-ZOLINZA 100MG CAP (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

- -*zolpidem tartrate 10mg tab*
- -zolpidem tartrate 5mg tab

-zolpidem tartrate 12.5mg er tab -zolpidem tartrate 6.25mg er tab

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Trial and failure of either trazodone or mirtazapine.
Age Restrictions	
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	

-ZONTIVITY 2.08MG TAB

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O2
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-ZYDELIG 100MG TAB (New Starts Only)

-ZYDELIG 150MG TAB (New Starts Only)

PA Criteria	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	
Age Restrictions	O ₂
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	
	Pendino

-ZYKADIA 150MG TAB (New Starts Only)

	Criteria Details
Covered Uses	All FDA-approved indications not otherwise excluded from Part D.
Exclusion Criteria	
Required Medical Info	Documentation is provided of ALK-positive disease.
Age Restrictions	O.
Prescriber Restriction	
Coverage Duration	Approved for duration of contract year.
Other Criteria	